

Narges Talaei

Drystraw Drive
Columbia, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: May 29, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were LS Did Not Observe All of the Required Information on Each Child's Emergency Form. Corrections Must Be Submitted Immediately. (2) and LS Did Not Observe Lead Test for Two Children. Provider Must Submit Evidence Immediately of Lead Testing or an Appointment to Obtain Lead Test by Health Care Provider. (1). None of the 3 findings were critical.

Inspection Visits

May 29, 2025 1 Finding ● 1 Important

- **LS Did Not Observe All of the Required Information on Each Child's Emergency Form. Corrections Must Be Submitted Immediately.**

13A.15.03.04A(1)

May 21, 2024 2 Findings ● 2 Important

- **LS Did Not Observe Lead Test for Two Children. Provider Must Submit Evidence Immediately of Lead Testing or an Appointment to Obtain Lead Test by Health Care Provider.**

13A.15.03.02B

- **LS Did Not Observe a Child's Address and Physician Contact Information. Provider Must Immediately Submit Evidence of Corrected Form.**

13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.