

Fariha Shahbaz

Blackhorse Trl.
Severn, MD

1 Inspection Visit Since 2025 · 14 Findings

Most recent inspection: Oct 24, 2025

● 14 Important

Across 1 inspection since 2025, the issues cited most often were During the Inspection, Several Children Emergency-Forms Were Incomplete. Missing Dates From Parent Signature or Substitutes Closer in Location for Pick Up in Case of an Emergency (4), Provider Could Not Find ER Plan During Time of Inspection (4), and Walls and Banister Need Cleaning (2). None of the 14 findings were critical.

Inspection Visits

Oct 24, 2025 14 Findings ● 14 Important

- **During the Time of Inspection, the Provider Forged Fire Drill and Emergency Drills That Were Not Completed.**
13A.15.03.03F
- **During the Inspection, Several Children Emergency Forms Were Incomplete. Missing Dates From Parent Signature or Substitutes Closer in Location for Pick Up in Case of an Emergency**
13A.15.03.04A(1)
- **Multiple Children's Emergency Forms Were Incomplete with the Date and Had Emergency Contact Person Too Far for Pick Up in Case of an Emergency.**
13A.15.03.04A(1)
- **During the Inspection, Several Children Emergency Forms Were Not Updated.**
13A.15.03.04A(3)
- **Multiple Childs ER Forms Were Not Updated**
13A.15.03.04A(3)
- **Several Children Records Were Missing Lead 1 & 2, H1, and Missing Immunizations.**
13A.15.03.04C
- **Walls and Banister Need Cleaning**
13A.15.05.03A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Walls and Railings Need to Be Cleaned**
13A.15.05.03A
- **During Time of Inspection, LS Observed No Parents Brining Their Children Into the Childcare Area but Dropping Them Off at the Door.**
13A.15.07.05
- **Provider Could Not Find ER Plan During Time of Inspection**
13A.15.10.01A(1)
- **Provider Could Not Find Emergency Preparedness Plan During Time of Inspection**
13A.15.10.01A(2)
- **The Provider Forged Fire and Emergency Drills Showing That They Were Practiced During the Time of Inspection.**
13A.15.10.01A(3)
- **Provider Could Not Find Emergency and Disaster Plan During Time of Inspection**
13A.15.10.01A(4)
- **During the Inspection a Child's Epi Pen Was in a Ziplock Bag Without Labeled Box by the Pharmacy.**
13A.15.11.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.