

Lydia Stewart

Ewing Avenue
Suitland, MD

2 Inspection Visits Since 2024 · 7 Findings

Most recent inspection: Feb 13, 2025

7 Important

Across 2 inspections since 2024, the issues cited most often were Two (2) Children Are Required to Have Emergency Forms Completed. (2), Two (2) Children Are Required to Have Emergency Forms Completed and Six (6) Children Are Required to Have Emergency Forms Annually Updated. In Addition, Three (3) Children Are Required to Have Health Assessments Completed and Four (4) Children Are Required to Have Immunizations to Remain in Care. (1), and LS Observed That Monthly Fire Drills Have Not Been Recorded. LS Advised Provider to Conduct Fire Drill by the End of the Month and Submit It to the OCC. (1). None of the 7 findings were critical.

Inspection Visits

Feb 13, 2025 6 Findings 6 Important

- **Two (2) Children Are Required to Have Emergency Forms Completed and Six (6) Children Are Required to Have Emergency Forms Annually Updated. In Addition, Three (3) Children Are Required to Have Health Assessments Completed and Four (4) Children Are Required to Have Immunizations to Remain in Care.**
13A.15.03.02A
- **LS Observed That Monthly Fire Drills Have Not Been Recorded. LS Advised Provider to Conduct Fire Drill by the End of the Month and Submit It to the OCC.**
13A.15.03.03F
- **Two (2) Children Are Required to Have Emergency Forms Completed.**
13A.15.03.04A(1)
- **Six (6) Children Are Required to Have Emergency Forms Annually Updated.**
13A.15.03.04A(3)
- **Fire Drills Are Required to Be Practiced Monthly and Emergency and Disaster Evacuation Procedures Are Required to Be Practiced Twice per Year.**
13A.15.10.01C
- **LS Did Not Observe an Operable Flashlight for the First Aid Kit.**
13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Feb 5, 2024 1 Finding ● 1 Important

- **LS Observed That Potentially Harmful Items Were Not Locked in the Cabinet Underneath the Bathroom Sink. Corrected on Site.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.