

## Matilda Webb

Carver Road  
Baltimore, MD

### 2 Inspection Visits Since 2023 - 11 Findings

Most recent inspection: Sep 15, 2025

● 11 Important

Across 2 inspections since 2023, the issues cited most often were Licensing Specialist Observed Provider Serve Food to a Child Without Washing Her Hands. Correct Immediately. (2), When Licensing Specialist Inquired About the Disaster Plan and What She Does for Sheltering in Place and Evacuation Provider Stated That She Has Never Practiced Disaster Drills. Correct Immediately. (2), and Provider Informed Licensing Specialist That She Has Never Conducted Emergency Drills. Correct Immediately. (1). None of the 11 findings were critical.

### Inspection Visits

Sep 15, 2025 9 Findings ● 9 Important

- **Provider Informed Licensing Specialist That She Has Never Conducted Emergency Drills. Correct Immediately.**  
13A.15.03.03F
- **Hot Water Exceeded 120 Degrees. Thermometer Reading Was 130 Degrees. Correct Immediately.**  
13A.15.05.01E
- **Licensing Specialist Observed Provider Serve Food to a Child Without Washing Her Hands. Correct Immediately.**  
13A.15.05.03D(1)
- **Licensing Specialist Observed Provider Use a Wipe to Clean the Child's Hands Instead of Warm Running Water and Soap and Paper Towel to Dry Hands. Correct Immediately.**  
13A.15.05.03D(2)
- **Licensing Specialist Observed Sharp Knives and Other Sharp Utensils in Kitchen Drawers That Had No Child Proof Device and Cleaning Agents on the Floor of a Storage Closet with No Childproof Device, Correct Immediately.**  
13A.15.05.04B(3)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **When Licensing Specialist Inquired About the Disaster Plan and What She Does for Sheltering in Place and Evacuation Provider Stated That She Has Never Practiced Disaster Drills. Correct Immediately.**  
13A.15.10.01A(3)
- **When Licensing Specialist Inquired About the Disaster Plan Provider Produced the Plan She Completed in 2010. It Had Not Been Reviewed Since Its Creation. She Was Informed to Update and Submit an Undated Copy to the Office Immediately and to Use the New Fire and Disaster Log That Is on MSDE Website**  
13A.15.10.01A(4)
- **Provider Informed Licensing Specialist That She Has Never Trained Any of Her Substitutes on the Contents of the Emergency and Disaster Plan. Correct Immediately.**  
13A.15.10.01D
- **Licensing Specialist Observed Sharp Knives ,Cleaning Agents, Anti-freeze and Other Poisonous Products Stored on the Kitchen Floor, and Bottom of the Steps of the Back Door. .Correct Immediately.**  
13A.15.10.02

**Aug 23, 2023** 2 Findings ● 2 Important

- **At the Time of the Inspection, Provider Was Missing Parent Agreements for 2 Children.**  
13A.15.03.03A
- **At the Time of the Inspection, Specialist Observed a Child Sleeping in a Pack and Play with a Pillow.**  
13A.15.05.06F

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.