

Etaferahu Ayehu-Teshager

Moray Rd
Silver Spring, MD

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Dec 22, 2025

● 5 Important

Across 2 inspections since 2023, the issues cited most often were Lead Test Is Needed for L.K. (2), Provider Has Not Taken the Basic Health and Safety Update for 24 and 25. (2), and Child Over 12 Months Was Observed Resting in a Port a Crib. There Was No Documentation From the Parent for the Child to Rest in a Porta Crib. (1). None of the 5 findings were critical.

Inspection Visits

Dec 22, 2025 3 Findings ● 3 Important

● **Lead Test Is Needed for L.K.**

13A.15.03.02B

● **Provider Has Not Taken the Basic Health and Safety Update for 24 and 25.**

13A.15.06.02B(1)

● **LS Did Not Observe Training for This Year.**

13A.15.06.02B(3)

Oct 27, 2023 2 Findings ● 2 Important

● **Two of the Children Enrolled Are Missing Documentation of Lead Testing.**

13A.15.03.02B

● **Child Over 12 Months Was Observed Resting in a Port a Crib. There Was No Documentation From the Parent for the Child to Rest in a Porta Crib.**

13A.15.05.06C(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.