

KinderCare-300331

Taney Avenue
Frederick, MD

4 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Feb 2, 2026

● 13 Important

Across 4 inspections since 2024, the issues cited most often were At the Time of This Inspection the Facility Is Missing Proper Lead Screening for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS. (2), At the Time of This Inspection the Facility Is Missing an Individulized Activity Plan for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS. (2), and At the Time of This Inspection the Facility Is Missing Emergency Contact Information on 1 Emergency Card as Well as the Child's Home Information on Another Card. The Facility Is to Obtain This Missing Information and Submit Evidence to the LS. (1). None of the 13 findings were critical.

Inspection Visits

Feb 2, 2026 7 Findings ● 7 Important

- **At the Time of This Inspection the Facility Is Missing Emergency Contact Information on 1 Emergency Card as Well as the Child's Home Information on Another Card. The Facility Is to Obtain This Missing Information and Submit Evidence to the LS.**
13A.16.03.04C
- **At the Time of This Inspection the Facility Is Missing Part 1 and Part 2 of the Health Assessment for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS.**
13A.16.03.04D(1-2)
- **At the Time of This Inspection the Facility Is Missing Proper Lead Screening for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS.**
13A.16.03.04E
- **At the Time of This Inspection the Facility Is Missing Immunization Records for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS.**
13A.16.03.04G

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Time of This Inspection the Facility Has 3 Classrooms Who's Floor Temp Is Below 65 Degrees. The Director Stated That the Worker Is on Their Way to Fix. The Facility Has Moved Children From Room 4 Into Room 2B. However, There Are Other Classrooms That Are Still Below the 65 Degree.**

13A.16.05.06

- **At the Time of This Inspection the Facility Is Missing an Individulized Activity Plan for One Child Enrolled in Care. The Facility Is to Obtain These Missing Documents and Submit Evidence to the LS.**

13A.16.09.02B

- **At the Time of This Inspection the LS Observed an Infant Teacher Change the Diaper of a Child in Care and Immediately Return Them to the Play Area. The LS Reminded the Staff Member That All Children Must Have Their Hands Wash After Diapering Before Returning to Play. The Staff Member Then Washed The**

13A.16.11.03B

Apr 10, 2025 4 Findings ● 4 Important

- **The Facility Failed to Ensure the Safety and Security for Each Child When a Child Was Fed the Wrong Breastmilk Bottle.**

13A.16.07.06A

- **At the Time of This Inspection the Facility Is Missing Activity Plans for 4 Children Enrolled in Care. The Facility Is to Obtain These Documents and Submit Evidence to the LS.**

13A.16.09.02B(1)

- **At the Time the Facility Had 3 Plans That Are Overdue for Reevaluation. The Facility Is to Obtain Updated Information for These Documents and Submit Evidence to the LS.**

13A.16.09.02C

- **The Facility Failed to Ensure That the Correct Bottle Was Feed to the Correct Child When a Staff Member Fed a Breastmilk Bottle to the Wrong Child. The Facility Must Submit a Plan of Action as to How Moving Forward They Will Ensure This Does Not Happen Again.**

13A.16.12.06C(2)

Mar 6, 2025 1 Finding ● 1 Important

- **At the Time of This Inspection the Facility Is Missing Continued Training for 1 Infant/Toddler Teacher and 2 Preschool Lead Teachers. The Facility Is to Have These Hours Completed and Submit Evidence of Completion to the LS..**

13A.16.06.09C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Feb 15, 2024 1 Finding — 1 Important

- **At the Time of This Inspection the Facility Was Missing Lead Screening for 4 Children Whose File the LS Reviewed. The Facility Is to Review All Children Files to Verify the Correct Documentation Is Obtained. The Facility to Submit Evidence to the LS That These Records Have Been Reviewed and Collecte**

13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.