

Gwendolyn Houston

Wicklow Road
Baltimore, MD

2 Inspection Visits Since 2023 - 9 Findings

Most recent inspection: Dec 17, 2025

● 9 Important

Across 2 inspections since 2023, the issues cited most often were Licensing Specialist Did Not Observe an Emergency Form for One Enrolled Child. Her Sister Attends the Child Care Home as Well and Has an Emergency Form. (2), Licensing Specialist Did Not Observe Fire nor Disaster Drills Recorded nor Attendance Verified by Parents for the Last Two Years. (1), and Licensing Specialist Did Not Observe: Health Inventory I Forms Completed for Two Children; Appropriate Documentation of Blood Lead Testing for Three Children; A Parent Agreement for One Child; And a Health Inventory II for One Child. (1). None of the 9 findings were critical.

Inspection Visits

Oct 16, 2024 4 Findings ● 4 Important

● **Licensing Specialist Did Not Observe Fire nor Disaster Drills Recorded nor Attendance Verified by Parents for the Last Two Years.**

13A.15.03.03H

● **Licensing Specialist Did Not Observe an Emergency Form for One Enrolled Child. Her Sister Attends the Child Care Home as Well and Has an Emergency Form.**

13A.15.03.04A(1)

● **Licensing Specialist Did Not Observe: Health Inventory I Forms Completed for Two Children; Appropriate Documentation of Blood Lead Testing for Three Children; A Parent Agreement for One Child; And a Health Inventory II for One Child.**

13A.15.03.04C

● **Licensing Specialist Did Not Observe a Written Screen Time Policy.**

13A.15.09.01B(6)

Nov 28, 2023 5 Findings ● 5 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Was Not Able to Observe One Emergency Form. Provider Stated the Child Was Just Enrolled Today.**
13A.15.03.04A(1)
- **Upon Arrival of Inspection the Gates to the Kitchen and the Gate at the Bottom of the Steps Were Not Secured. Corrected During Inspection. Provider Secured the Three Gates During the Inspection.**
13A.15.05.04B(2)
- **Licensing Specialist Observed a Play Set with Two Screws Sticking Out That Need to Be Hammered In. LS Also Observed a Television That Needs to Be Removed From the Outdoor Play Area.**
13A.15.05.05A
- **The Provider's CPR and First Aid Training Expired October 2023.**
13A.15.06.02D(1)
- **Licensing Specialist Observed Cat Litter Stored in the Child Care Space. Cat Litter States "Keep Out of Reach Out Children."**
13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.