

Yulie Muriel-Bernal

Highstream Dr
Germantown, MD

2 Inspection Visits Since 2024 - 6 Findings

Most recent inspection: May 2, 2025

● 6 Important

Across 2 inspections since 2024, the issues cited most often were A Electrical Socket Was Unplugged in the Living Room. (2), One Child Was Missing Part I Off the Health Inventory. (1), and One Emergency Card Was Missing a Update. (1). None of the 6 findings were critical.

Inspection Visits

May 2, 2025 3 Findings ● 3 Important

● **One Child Was Missing Part I Off the Health Inventory.**

13A.15.03.02A

● **One Emergency Card Was Missing a Update.**

13A.15.03.04A(3)

● **A Electrical Socket Was Unplugged in the Living Room.**

13A.15.05.04B(1)

Apr 5, 2024 3 Findings ● 3 Important

● **Licensing Specialist Observed Three Children Under the Age of Two.**

13A.15.04.03A

● **Licensing Specialist Observed Three Children Under the Age of Two.**

13A.15.04.03B

● **Licensing Specialist Observed Three Electrical Sockets on the First Floor That Were Within the Reach of Children Not Plugged or Capped.**

13A.15.05.04B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.