

Hunt's Church Preschool of Hunt's United Methodist Church

A Old Court Road
Towson, MD

3 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: Apr 30, 2026

● 14 Important

Across 3 inspections since 2025, the issues cited most often were LS Did Not Observe Handwashing Signs Posted at the Sinks of the Children's Bathrooms on the Lower Level. This Was Corrected During the Inspection When the Handwashing Signs Were Posted at the Sinks. (2), LS Did Not Observe a Medical Evaluation for Four Staff. (2), and LS Observed Lysol Cleaning Wipes Accessible to Children in Care. This Was Corrected During the Inspection When the Wipes Were Moved and Made Inaccessible to Children in Care. (1). None of the 14 findings were critical.

Inspection Visits

Apr 30, 2026 2 Findings ● 2 Important

- **LS Observed Lysol Cleaning Wipes Accessible to Children in Care. This Was Corrected During the Inspection When the Wipes Were Moved and Made Inaccessible to Children in Care.**

13A.17.10.04A

- **LS Did Not Observe Handwashing Signs Posted at the Sinks of the Children's Bathrooms on the Lower Level. This Was Corrected During the Inspection When the Handwashing Signs Were Posted at the Sinks.**

13A.17.11.03A

Aug 28, 2025 4 Findings ● 4 Important

- **LS Observed a Children's Bathroom Door Handle Disconnect From the Bathroom Door.**

13A.17.05.01A(1)

- **LS Has Not Yet Received the Fire Inspection nor Use and Occupancy Approval for the Renovations Completed.**

13A.17.05.01B

- **Center Will Need to Add Another Water Source for the Capacity of the Center.**

13A.17.05.07B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Did Not Observe Handwashing Signs Posted in the Children's Restrooms.**

13A.17.11.03A

May 19, 2025 8 Findings ● 8 Important

- **LS Observed Two Children's Emergency Forms Missing the Parental Signature and date.
LS Observed Five Children's Emergency Forms Missing the Physician Information.**

13A.17.03.04C

- **LS Observed Two Children Missing Lead Testing results.
LS Observed Two Children Missing the 24 Month Lead Testing Results.**

13A.17.03.04E

- **LS Did Not Observe Basic Health and Safety Training for Seven staff.
LS Did Not Observe Verification of Individuals Age for Twelve staff.
LS Did Not Observe a Medical Evaluation for Four staff.
LS Did Not Observe Criminal Background Check Results for Three staff.
LS Did Not Observe Orientation of CO**

13A.17.03.05B

- **LS Did Not Observe Written Staff Orientation for Two Staff.**

13A.17.06.02

- **LS Did Not Observe a Medical Evaluation for Four Staff.**

13A.17.06.04A(1)

- **LS Observed That the Medical Evaluation for Two Staff Had Not Been Updated Every Five Years.**

13A.17.06.04A(4)

- **LS Did Not Observe Medication on Site for One Child Whose Medical Documentation Stated That the Child May Need Medication.**

13A.17.07.06A

- **LS Observed Two Children's Medication Forms Missing Parental Permission.**

13A.17.11.04A(1)(a)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.