

Brittany Gaydosh

Hollywood Road
Hollywood, MD

3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Feb 20, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were There Are Two Children Who Are Missing Emergency Forms in Their Files. Please Ensure That You Obtain This Information to Keep in the Children's Files and Send a Copy to Licensing. (4), There Was an Outlet in the Sunroom That Was Not Capped. The Provider Capped the Outlet During the Inspection. (2), and The Provider Does Not Practice Emergency or Fire Drills. The Provider Is Advised to Practice Drills as Required. (2). None of the 14 findings were critical.

Inspection Visits

Feb 20, 2026 4 Findings ● 4 Important

- **There Are Two Children Who Are Missing Emergency Forms in Their Files. Please Ensure That You Obtain This Information to Keep in the Children's Files and Send a Copy to Licensing.**

13A.15.03.04A(1)

- **There Are Three Children Whose Emergency Forms Need to Be Updated. Please Have the Parents Review, Update as Needed, Initial and Date the Emergency Forms and Then Send a Copy to Licensing.**

13A.15.03.04A(3)

- **The Provider Has a Fenced Play Area. Since She Lives on a Busy Road, Licensing Has Required Her to Have a Self Closing, Self Latching Gate. The Gate Is Not Self Closing and Self Latching Properly. Please Ensure That the Gate Is Repaired So It Is Self Closing and Self Latching Properly.**

13A.15.05.05A

- **The Provider Is Not Sure if She Completed the 2025 Basic Health and Safety Update. Provider Is Advised She Needs to Complete the Course and Submit the Completion Certificate.**

13A.15.06.02B(1)

Jan 30, 2025 8 Findings ● 8 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Does Not Have a Health Inventory Part I or Part II for Any of the Children Enrolled in Care. The Provider Is Advised to Obtain This Information as Soon as Possible.**

13A.15.03.02A

- **The Provider Does Not Have Evidence of Lead Screenings or Lead Blood Tests for Any of the Children Enrolled in Care. The Provider Is Advised to Obtain This Information as Soon as Possible.**

13A.15.03.02B

- **The Provider Does Not Practice or Record Fire and Emergency Drills. The Provider Is Advised to Practice Drills and Record Them on a Log.**

13A.15.03.03F

- **There Was an Outlet in the Sunroom That Was Not Capped. The Provider Capped the Outlet During the Inspection.**

13A.15.05.04B(1)

- **There Was a Lower Cabinet in the Kitchen That Had Alcohol in It. The Provider Installed a Child Proof Device to Prevent Children From Accessing the Cabinet. The Child Proof Device on the Basement Steps Was Broken. The Provider Installed a Working Child Proof Device on the Door During the Inspection**

13A.15.05.04B(3)

- **The Provider Is Required to Have a Self Closing Self Latching Gate in the Fenced Play Area Due to the Proximity of the House to the Busy Road. The Gate Latch Is Broken So It Is Not Self Closing or Self Latching Properly. The Provider Will Need to Have This Fixed.**

13A.15.05.05B

- **The Provider Does Not Practice Emergency or Fire Drills. The Provider Is Advised to Practice Drills as Required.**

13A.15.10.01A(3)

- **The Provider Has Not Reviewed and Updated Her Emergency and Disaster Plan. Provider Is Advised to Review, Update, Initial and Date the Emergency and Disaster Plan Once Annually.**

13A.15.10.01A(4)

Jan 12, 2024 2 Findings ● 2 Important

- **There Is One Child Whose Emergency Form Is Missing the Physician's Information. Please Have the Parent Complete This Information and Submit a Copy to the Licensing Specialist for Correction.**

13A.15.03.04A(1)

- **There Is One Child Whose Emergency Form Needs to Be Updated. Please Have the Parent Review, Update, Sign, and Date the Emergency Form and Submit a Copy to the Licensing Specialist for Correction.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.