

Samia Bachir

Bosc Court
Thurmont, MD

2 Inspection Visits Since 2023 · 5 Findings

Most recent inspection: Aug 22, 2025

● 5 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of Inspection, LS Did Not Observe Evidence of Age-appropriate Lead Testing for Four Children. LS Also Did Not Observe Part II of the Health Inventory for One Child. LS Requested That Provider Submit Copies of the Missing Forms. (2), At the Time of Inspection, LS Observed 10 Hours Completed Between October 01, 2023 - September 30, 2024. LS Observed 6 Hours Completed Between October 01, 2024 - September 20, 2025. LS Requested That Provider Complete an Additional 8 Hours of Continued Training Hours by September 30, 2025, to Make (1), and At the Time of Inspection, LS Observed a 17 Month Old Child Sleeping One Level Away From the Provider Without a Video and Sound Monitor. The Provider Was Physically Going Upstairs to Check on the Child. LS Requested That the Child Be Moved to the Same Level as the Provider and if Napping in a Sepa (1). None of the 5 findings were critical.

Inspection Visits

Aug 22, 2025 3 Findings ● 3 Important

- **At the Time of Inspection, LS Did Not Observe Evidence of Age-appropriate Lead Testing for Four Children. LS Also Did Not Observe Part II of the Health Inventory for One Child. LS Requested That Provider Submit Copies of the Missing Forms.**

13A.15.03.04C

- **At the Time of Inspection, LS Observed 10 Hours Completed Between October 01, 2023 - September 30, 2024. LS Observed 6 Hours Completed Between October 01, 2024 - September 20, 2025. LS Requested That Provider Complete an Additional 8 Hours of Continued Training Hours by September 30, 2025, to Make**

13A.15.06.02B(3)

- **At the Time of Inspection, LS Observed a 17 Month Old Child Sleeping One Level Away From the Provider Without a Video and Sound Monitor. The Provider Was Physically Going Upstairs to Check on the Child. LS Requested That the Child Be Moved to the Same Level as the Provider and if Napping in a Sepa**

13A.15.08.01E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Aug 15, 2023 2 Findings ● 2 Important

- **At the Time of Inspection, Provider Was Missing Completed Health Inventories for Two Children in Care. Both of the Health Inventories Were Missing Parent Signatures on Part 1, and One Inventory Had Unchecked Boxes on Part 1. Provider to Complete the Health Inventories and Submit Evidence to LS.**

13A.15.03.04C

- **At the Time of Inspection, Provider Had an Uncovered AC Unit in the Outdoor Play Area. Provider Is to Make This Inaccessible to Children in Care and Submit Evidence to LS.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.