

Bambini Child Care Center

D Maryland 3 North
Gambrills, MD

6 Inspection Visits Since 2024 · 13 Findings

Most recent inspection: Apr 7, 2026

● 13 Important

Across 6 inspections since 2024, the issues cited most often were Licensing Specialist Observed Several Children Missing Lead Tests During the May 2, 2025 Inspection. Facility Stated That They Have Received a Few, but Are Still Waiting for Parents to Give Them Copies. (2), Licensing Specialist Observed 1 Staff Member Who Did Not Have a Medical Evaluation at the Time of Inspection on May 2, 2025. Facility Still Has Not Received Medical Evaluation for M.B. at the Time of Follow-up Inspection. Licensing Specialist Received One Staff Member's Basic Health and Safety Certi (2), and Licensing Specialist Did Not Receive Notification That the Facilities Heat Was Not Working Again. Facility Needs to Submit a Letter of Corrections That Any Change to the Normal Operation of Facility Must Be Reported to the Office of Child Care Immediately. (2). None of the 13 findings were critical.

Inspection Visits

May 6, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed Several Children Missing Lead Tests During the May 2, 2025 Inspection. Facility Stated That They Have Received a Few, but Are Still Waiting for Parents to Give Them Copies.**
13A.16.03.04E
- **Licensing Specialist Observed 1 Staff Member Who Did Not Have a Medical Evaluation at the Time of Inspection on May 2, 2025. Facility Still Has Not Received Medical Evaluation for M.B. at the Time of Follow-up Inspection. Licensing Specialist Received One Staff Member's Basic Health and Safety Certi**
13A.16.03.05C

May 2, 2025 4 Findings ● 4 Important

- **Licensing Specialist Observed Several Children Who Were Missing Lead Testing Results and Updated 2nd Lead Test Results. Facility Needs to Submit a Letter of Corrections That Lead Testing Certificates and Updated 2nd Lead Tests Have Been Obtained for All of the Children's Files.**
13A.16.03.04E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed One Staff Member Who Was Missing Their Medical Evaluation at the Time of Inspection. Facility Needs to Send Medical Evaluation to Licensing Specialist Once It Is Obtained. Licensing Specialist Also Observed Staff Who Still Need to Complete the Initial Basic Health and S**
13A.16.03.05C
- **Licensing Specialist Observed One Child's Written Activity Plan That Had Not Been Update Since November 2024. Facility Needs Submit a Copy of the Child's Updated Written Activity Plan.**
13A.16.09.02C
- **Licensing Specialist Observed Refrigerator in Twos Room Was Above 40 Degrees. Facility Needs to Get Refrigerator to a Temperature Below 40 or Replace.**
13A.16.12.04F(3)

Feb 20, 2025 1 Finding ● 1 Important

- **Licensing Specialist Did Not Receive Notification That the Facilities Heat Was Not Working Again. Facility Needs to Submit a Letter of Corrections That Any Change to the Normal Operation of Facility Must Be Reported to the Office of Child Care Immediately.**
13A.16.03.06E(2)

Feb 18, 2025 4 Findings ● 4 Important

- **Facility Did Not Notify Licensing Specialist That the Facility Has Been Having an Issue with the Heat. Facility Needs to Send Written Statement of Correction That They Understand That They Need to Notify the Office of Child Care Immediately When an Issue Arises That May Affect the Status of Their Li**
13A.16.03.06E(2)
- **Licensing Specialist Confirmed That Temperature in Room 1 and Room 6 Were Below 65 Degrees F. at Floor Level at the Time of Inspection. Facility Needs to Have Heat Repaired, Send Licensing Specialist a Copy of the Work Order and Written Correction That the Heat Has Been Fixed and That the Temperatur**
13A.16.05.06
- **Licensing Specialist Observed No Qualified Staff in Room 5, Infant C. Facility Needs to Submit Written Letter of Corrections and Staffing Pattern Showing That the Classroom Has a Qualified Infant Teacher Assigned at All Times.**
13A.16.08.02B
- **Licensing Specialist Observed 14 Children Present and Napping in Room 7 with Capacity of 12 at the Time of Inspection. Facility Moved Two of the Children to Another Classroom That Was Under Capacity During While Licensing Specialist Was Still Present Bringing the Total to 12.**
13A.16.08.03D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Oct 10, 2024 1 Finding ● 1 Important

- **Licensing Specialist Still Has Not Received All of the Required Paperwork for New Staff Member Diamond Williams Who Has Been Working at the Center for Over Two Weeks. Center Needs to Submit All Required Paperwork for Diamond Williams, Kimberly Rodriguez, Francesca Stevens, and Any Other Newly Hired**
13A.16.03.06A(1)

Oct 9, 2024 1 Finding ● 1 Important

- **Licensing Specialist Was Unable to Observe Health Inventory Part 2 at the Time of Inspection for Child C.S. Licensing Specialist Was Unable to View a Parent Contract for Child, C.S. at the Time of Inspection. Facility Needs to Obtain the Missing Record and Contract and Send Copies to Licensing Speci**
13A.16.03.02A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.