

Gloria Roa Hernandez

Sampson Rd
Silver Spring, MD

2 Inspection Visits Since 2023 - 3 Findings

Most recent inspection: Dec 4, 2025

● 3 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed Unlocked Shed and Brooms Were Accessible to Children in Care. Corrected at Inspection. Wooden Slats to the Top of the Sump Pump and Porch Railings Has Openings Big Enough to Entrap Small Fingers and Toes Mushrooms Are Growing Between the Fence and Outdoor , (2) and Emergency Form Missing Source of Health Care Information And/or Daily Pick Up Person. (1). None of the 3 findings were critical.

Inspection Visits

Dec 4, 2025 1 Finding ● 1 Important

- **Emergency Form Missing Source of Health Care Information And/or Daily Pick Up Person.**
13A.15.03.04A(1)

Dec 8, 2023 2 Findings ● 2 Important

- **LS Observed Unlocked Shed and Brooms Were Accessible to Children in Care. Corrected at Inspection. Wooden Slats to the Top of the Sump Pump and Porch Railings Has Openings Big Enough to Entrap Small Fingers and Toes Mushrooms Are Growing Between the Fence and Outdoor ,**
13A.15.05.05A
- **LS Observed That the Shed and Broom in the Outdoor Area Were Accessible to Children in Care . Correction at Inspection. The Wooden Slats Top to the Sump Pump Had Openings Large Enough to Entrap Small Fingers and Toes.**
13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.