

Jovan Brown

F Royal Street
Annapolis, MD

3 Inspection Visits Since 2023 · 6 Findings

Most recent inspection: Nov 5, 2025

● 6 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Observed Two Children Who Need Updated Lead Tests. Provider to Obtain Copies and Submit to Licensing Specialist. (2), Licensing Specialist Observed Provider's CPR and First Aid Expired August 2025. Provider Stated That Class She Was Suppose to Attend Got Canceled by Training Organization Due to Low Enrollment. Provider Is Scheduled to Complete in December 2025. Provider Needs to Submit Evidence That She Is Enrolled (1), and Licensing Specialist Observed One Child's Emergency Card That Has Not Been Updated. Provider to Have Parent Update and Submit Copy to Licensing Specialist. (1). None of the 6 findings were critical.

Inspection Visits

Nov 5, 2025 2 Findings ● 2 Important

- **Licensing Specialist Observed Two Children Who Need Updated Lead Tests. Provider to Obtain Copies and Submit to Licensing Specialist.**

13A.15.03.04C

- **Licensing Specialist Observed Provider's CPR and First Aid Expired August 2025. Provider Stated That Class She Was Suppose to Attend Got Canceled by Training Organization Due to Low Enrollment. Provider Is Scheduled to Complete in December 2025. Provider Needs to Submit Evidence That She Is Enrolled**

13A.15.06.02D(1)

Oct 23, 2024 1 Finding ● 1 Important

- **Licensing Specialist Observed One Child's Emergency Card That Has Not Been Updated. Provider to Have Parent Update and Submit Copy to Licensing Specialist.**

13A.15.03.04A(3)

Oct 5, 2023 3 Findings ● 3 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Several Children Missing Lead Testing.**
13A.15.03.04C
- **Licensing Specialist Observed Laundry Detergent Left on Floor in Bathroom Within Reach of Children. Provider Rmoved Items at the Time of Inspection and Placed in Locked Cabinet.**
13A.15.10.02
- **Licensing Specialist Observed That No Milk Was Available for the Children at the Time of Inspection.**
13A.15.12.01D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.