

Kerstin Milauskas

Woodland Forest Drive
Elkridge, MD

3 Inspection Visits Since 2024 · 4 Findings

Most recent inspection: May 6, 2026

● 4 Important

Across 3 inspections since 2024, the issues cited most often were One File Did Not Have Evidence of a Blood Lead Test Available for Review During This Inspection. Submit Correction to OCC. (2), A Current Fire Drill Record Was Not Available for Review During This Inspection. Submit Correction to OCC. (1), and Three Emergency Cards Need an Annual Update. Correct and Submit Correction to OCC. (1). None of the 4 findings were critical.

Inspection Visits

May 6, 2026 2 Findings ● 2 Important

- **A Current Fire Drill Record Was Not Available for Review During This Inspection. Submit Correction to OCC.**
13A.15.03.03F
- **One File Did Not Have Evidence of a Blood Lead Test Available for Review During This Inspection. Submit Correction to OCC.**
13A.15.03.04C

May 2, 2025 1 Finding ● 1 Important

- **Three Emergency Cards Need an Annual Update. Correct and Submit Correction to OCC.**
13A.15.03.04A(3)

Apr 15, 2024 1 Finding ● 1 Important

- **5 Children Did Not Have Evidence of a Blood Lead Test Result Available for Review During This Inspection. Correct and Submit Correction to OCC.**
13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.