

Berlin Education Station

Old Ocean City Boulevard
Berlin, MD

3 Inspection Visits Since 2025 · 11 Findings

Most recent inspection: Apr 30, 2026

● 11 Important

Across 3 inspections since 2025, the issues cited most often were Center Has Two Classrooms That Did Not Having Operable Air Conditioning Units at the Time of the Inspection. All Children Were Moved to a Different Area of the Center with Operable Air Conditioning Units (2), Used Tissue Paper Were Found on the Playground. Picked Up at Inspection (1), and 1 Staff Member Did Not Complete the Required Orientation (1). None of the 11 findings were critical.

Inspection Visits

Apr 30, 2026 3 Findings ● 3 Important

● **Used Tissue Paper Were Found on the Playground. Picked Up at Inspection**

13A.16.05.11D(4)

● **1 Staff Member Did Not Complete the Required Orientation**

13A.16.06.12A(3)

● **Aide Is in Need of the Completion of the Required 6 Continuing Training Hours .**

13A.16.06.12B(2)

Jun 18, 2025 3 Findings ● 3 Important

● **Center Has Two Classrooms That Did Not Having Operable Air Conditioning Units at the Time of the Inspection. All Children Were Moved to a Different Area of the Center with Operable Air Conditioning Units**

13A.16.05.01A(1)

● **Center Has Two Classroom That Did Not Having Operable Air Condition at the Time of the Inspection.**

13A.16.05.01B

● **There Were 2 Class Rooms That Did Not Have Operable Air Condition Unit.**

13A.16.05.06

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Apr 29, 2025 5 Findings ● 5 Important

- **Center Did Not Have a Number of Lead Screening Results for a Number of Children Within the Children Files.**

13A.16.03.04E

- **The Stepping Stones That Lead Out to the Playground Are Lifting Up and Could Be a Tripping Hazard for Staff and Children.**

13A.16.05.01A(1)

- **There Are a Number of Employee That Does Not Have an Staff Orientation on File.**

13A.16.06.02

- **2 Staff Members Do Not Have Updated Medicals on File.**

13A.16.06.04A(4)

- **There Is 1 Teacher That Did Not Complete the Required Original Basic Health and Safety Training**

13A.16.06.09C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.