

Georgetown Hill @ Potomac Village

River Road
Potomac, MD

4 Inspection Visits Since 2023 - 10 Findings

Most recent inspection: Oct 7, 2025

● 10 Important

Across 4 inspections since 2023, the issues cited most often were Licensing Specialist Reviewed Several Children's Emergency Forms That Were Missing Information or Needed Updating. Facility Is Asked to Submit Photographic Evidence of Corrections via Email. (2), Facility States They Did Not Report the Scratches to the Child's Caregiver or Parents on the Day They Were Noticed. Parents Called the Center Later That Night to Inquire About What Happened. (1), and Licensing Specialist Observed Several Children's Medication Administration Forms That Were Missing the Parent Signature. Facility Is Asked to Submit Photographic Evidence of Corrections via Email. (1). None of the 10 findings were critical.

Inspection Visits

Sep 29, 2025 1 Finding ● 1 Important

- **Facility States They Did Not Report the Scratches to the Child's Caregiver or Parents on the Day They Were Noticed. Parents Called the Center Later That Night to Inquire About What Happened.**

13A.16.03.06D(2)

Aug 22, 2025 3 Findings ● 3 Important

- **Licensing Specialist Reviewed Several Children's Emergency Forms That Were Missing Information or Needed Updating. Facility Is Asked to Submit Photographic Evidence of Corrections via Email.**

13A.16.03.04C

- **Licensing Specialist Observed Several Children's Medication Administration Forms That Were Missing the Parent Signature. Facility Is Asked to Submit Photographic Evidence of Corrections via Email.**

13A.16.11.04A(1)(a)

- **Licensing Specialist Observed a Bottle of Benadryl Stored in a Ziploc Bag, Facility Is Asked to Obtain the Original Packaging.**

13A.16.11.04E(1)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Nov 17, 2023 2 Findings ● 2 Important

- **Licensing Specialists Reviewed the Video of the Incident and Confirmed That a Head Count Was Not Conducted Before Heading Down the Stairs. Facility Is Asked to Put a Head Count Reminder on the Door.**

13A.16.07.06A

- **Licensing Specialists Received a Complaint About a Child Being Left Unattended Outside. Licensing Specialists Reviewed Camera Footage That Confirmed Supervision Was Not Maintained. Facility Is Reminded That Head Counts Should Be Conducted Upon Entering the Building Before the Doors Close or Before C**

13A.16.08.01A(2)(a)

Sep 21, 2023 4 Findings ● 4 Important

- **Licensing Specialists Observed at Least Three Child Files Who Were Missing Physician Information on the Emergency Form.**

13A.16.03.04C

- **Licensing Specialists Observed at Least Five Children Who Need Lead Testing.**

13A.16.03.04E

- **Licensing Specialists Observed Two Children Without Immunization Records-facility Was Able to Provide Records for One of the Children at the Time of the Inspection.**

13A.16.03.04G

- **Licensing Specialists Observed Lysol Wipes and Hand Sanitizer on a Counter Accessible to Children.**

13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.