

Fabiola Del Carmen Charcousse

Remington Court
Frederick, MD

2 Inspection Visits Since 2023 · 8 Findings

Most recent inspection: Oct 29, 2025

● 8 Important

Across 2 inspections since 2023, the issues cited most often were At the Time of This Inspection the Provider Was Missing Proper Lead Screening for 4 Children in Care. the Provider Is to Obtain These Missing Records and Submit Evidence to the LS (2), At the Time of This Inspection the Provider Is Missing an Emergency Card for 1 Child in Care. The Provider Is to Obtain This Document and Submit Evidence to the LS (2), and At the Time of This Inspection the Provider Was Missing the 2nd Roll of Guaze, Gloves and a Whistle From the First Aid Kit. The Provider Is to Obtain These Missing Items and Send Evidence to the LS. (2). None of the 8 findings were critical.

Inspection Visits

Oct 29, 2025 6 Findings ● 6 Important

- **At the Time of This Inspection the Provider Was Missing a Completed Doctor Portion of the Health Assessment for 1 Child in Care. The Provider Is to Obtain This Missing Document and Submit Evidence to the LS.**

13A.15.03.02A

- **At the Time of This Inspection the Provider Was Missing Proper Lead Screening for 4 Children in Care. the Provider Is to Obtain These Missing Records and Submit Evidence to the LS**

13A.15.03.02B

- **At the Time of This Inspection the Provider Is Missing an Emergency Card for 1 Child in Care. The Provider Is to Obtain This Document and Submit Evidence to the LS**

13A.15.03.04A(1)

- **At the Time of This Inspection the Provider Has 1 Emergency Card with an Annual Update Initial but No Date When That Update Was Completed.**

13A.15.03.04A(3)

- **At the Time of This Inspection the Provider Was Missing the 2nd Roll of Guaze, Gloves and a Whistle From the First Aid Kit. The Provider Is to Obtain These Missing Items and Send Evidence to the LS.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of This Inspection the LS Observed the Fridge Temp at 43 Degrees**

13A.15.12.02B

Nov 29, 2023 2 Findings ● 2 Important

- **At the Time of This Inspection the Provider Is Missing Appropriate Lead Screening for 7 Children Enrolled in Care. Provider to Obtain These Records and Submit Evidence to the LS**

13A.15.03.02B

- **At the Time of This Inspection the Provider Is Missing Gauze Pads, 2 Gauze Rolls, Fragrance Free Liquid Soap From the First Aid Kit. Provider to Obtain These Items and Submit a Photo to the LS**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.