

Laura Lake

Rosewood Avenue
Baltimore, MD

2 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: Oct 9, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed That the Provider's Last Fire Inspection Was Completed on 06/26/2024 and She Had Not Had One in 2025. (1), LS Observed That the Provider's Last Fire Inspection Was Completed on 06/26/2024 and She Had Not Had One in 2025. (1), and LS Observed That 2 Children Did Not Have Record of Their Required Lead Tests in Their Files and 1 Child Did Not Have Record of the Required Second Lead Test. (1). None of the 3 findings were critical.

Inspection Visits

Oct 9, 2025 2 Findings ● 2 Important

- **LS Observed That the Provider's Last Fire Inspection Was Completed on 06/26/2024 and She Had Not Had One in 2025.**

13A.15.05.01A

- **LS Observed That the Provider's Last Fire Inspection Was Completed on 06/26/2024 and She Had Not Had One in 2025.**

13A.15.07.07A

Oct 7, 2024 1 Finding ● 1 Important

- **LS Observed That 2 Children Did Not Have Record of Their Required Lead Tests in Their Files and 1 Child Did Not Have Record of the Required Second Lead Test.**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.