

Mary Anderson

Clairidge Rd
Gwynn Oak, MD

2 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: May 8, 2026

● 13 Important

Across 2 inspections since 2024, the issues cited most often were The Provider Lacked an Emergency Form for One Child and Another Emergency Form Was Missing the Child's Physician Information. Please Correct This by Sending Copies of the Emergency Forms. (2), The Provider Did Not Have Records for One Enrolled Child. Please Correct by Sending Copies of Child Records to This Specialist. (1), and The Provider Did Not Have Written Agreements for Enrolled Children. Please Correct by Sending Copies of the Agreements to This Specialist. (1). None of the 13 findings were critical.

Inspection Visits

May 8, 2026 12 Findings ● 12 Important

- **The Provider Did Not Have Records for One Enrolled Child. Please Correct by Sending Copies of Child Records to This Specialist.**
13A.15.03.02A
- **The Provider Did Not Have Written Agreements for Enrolled Children. Please Correct by Sending Copies of the Agreements to This Specialist.**
13A.15.03.03A
- **The Provider Did Not Have Attendance Records. Please Correct by Sending This Specialist Copies of the Attendance Records.**
13A.15.03.03B
- **The Provider Did Not Have the 2025 Fire Drill Record. This Was Corrected on Site When the Provider Gave the Specialist a Written Statement.**
13A.15.03.03H
- **The Provider Lacked an Emergency Form for One Child and Another Emergency Form Was Missing the Child's Physician Information. Please Correct This by Sending Copies of the Emergency Forms.**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Transports Children to and From School but Lacked Signed Transportation Permission From the Parents. Please Correct This by Sending Signed Permission Slips to This Specialist.**
13A.15.03.04B(3)
- **The Provider Lacked Records for One Enrolled Child and Did Not Have the Complete Health Inventory Part 2 and Lead Test Results for Another Child. Please Correct This by Sending Copies of the Missing Forms.**
13A.15.03.04C
- **The Provider Told This Specialist That the Back of Her Backyard Fence Was Destroyed. Backyard Is the Approved Outdoor Area. The Provider Said Installing the New Part of the Fence Took About a Week. The Provider Also Reported a Leak in the Basement. The Ceiling Has Been Fixed but the Provider Has Not**
13A.15.03.05C(3)
- **Licensing Specialist Checked the Water Temperature and Found It Was 124 Degrees F. Please Correct This by Sending This Specialist a Photo of a Thermometer Showing the Water Temperature at or Below 120 Degrees F.**
13A.15.05.01E
- **Licensing Specialist Observed a TV Stand Covered in Dust, and White Residue on the Table and Floor in the Basement. Please Correct This by Sending the Specialist Photos Showing the Cleaned-up Child Care Space.**
13A.15.05.03A
- **The Provider Did Not Complete the 2025 Basic Health and Safety Update Training. Please Correct This by Sending a Copy of the Training Certificate.**
13A.15.06.02B(1)
- **Licensing Specialist Observed Cleaning Agents on the Table and by the Washer and Dryer in the Basement. Please Correct by Sending Photos Showing the Cleaned Up Basement.**
13A.15.10.02

May 29, 2024 1 Finding ● 1 Important

- **There Are Two Children Who Are Missing the Physician Information Listed on Their Emergency Cards.**
13A.15.03.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.