

Vanessa Jhingory

Tarpley Drive
Rockville, MD

2 Inspection Visits Since 2023 - 6 Findings

Most recent inspection: Oct 2, 2024

● 6 Important

Across 2 inspections since 2023, the issues cited most often were Licensing Specialist Observed Two Emergency Cards That Were Missing Information. (1), Licensing Specialist Observed an 11 Month Old Child Sleeping in a Bouncy Chair with Their Bottle. Provider Is Reminded That Children Are to Be Moved Immediately to a Crib. (1), and Licensing Specialist Observed an 11 Month Old Child Napping in a Bouncy Seat with Their Bottle. Provider Is Reminded That if the Child Can Self Feed They Need to Be in a Chair to Prevent Choking. (1). None of the 6 findings were critical.

Inspection Visits

Oct 2, 2024 3 Findings ● 3 Important

● **Licensing Specialist Observed Two Emergency Cards That Were Missing Information.**

13A.15.03.04A(3)

● **Licensing Specialist Observed an 11 Month Old Child Sleeping in a Bouncy Chair with Their Bottle. Provider Is Reminded That Children Are to Be Moved Immediately to a Crib.**

13A.15.05.06H

● **Licensing Specialist Observed an 11 Month Old Child Napping in a Bouncy Seat with Their Bottle. Provider Is Reminded That if the Child Can Self Feed They Need to Be in a Chair to Prevent Choking.**

13A.15.07.07A

Oct 17, 2023 3 Findings ● 3 Important

● **Licensing Specialists Observed Six Children's Files That Needed Updates, Corrections, or Missing Forms. Facility Is Asked to Submit Photographic Evidence Once Those Forms Have Been Updated or Completed.**

13A.15.03.04C

● **Licensing Specialists Observed a First Aid Kit That Was Missing Liquid Soap. Facility Is Asked to Submit Proof of Adding Soap to the First Aid Kit.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialists Observed an Aerosol Lysol Can Within Children's Reach on the Diaper Changing Table. Facility Is Asked to Re-locate and Submit Photographic Evidence via Email.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.