

## Claire Hetsberger

Worrell Avenue  
Lanham, MD

### 3 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Apr 9, 2026

#### ● 8 Important

Across 3 inspections since 2024, the issues cited most often were LS Observed Evidence of the Play Area Maintain and Free From Conditions, However in Order to Get to the Play Area the Children Must Walk Down Steps. LS Observed Evidence of the Children Having Access to the Storage Door Underneath of the Daycare Home. LS Observed the Step Area with Boxes, Cleaning E (2), LS Observed Evidence of One Porta Crib Stored in the Basement of the Daycare Family Home. The Provider Has a Registration for Two Children Under Two. Please Correct as Soon as Possible. (1), and During the Mandatory Inspection the Provider Disclosed That Her Second Cousin Was Staying in the Shed Which Is in the Provider's Backyard. The Provider Stated That Her Second Cousin Arrived at Her Home a Week or Two Ago. The Provider Stated That He Was Supposed to Stay for One Day or a Weekend to Me (1). None of the 8 findings were critical.

### Inspection Visits

#### Apr 9, 2026 2 Findings ● 2 Important

- **LS Observed Evidence of the Play Area Maintain and Free From Conditions, However in Order to Get to the Play Area the Children Must Walk Down Steps. LS Observed Evidence of the Children Having Access to the Storage Door Underneath of the Daycare Home. LS Observed the Step Area with Boxes, Cleaning E**

13A.15.05.05A

- **LS Observed Evidence of One Porta Crib Stored in the Basement of the Daycare Family Home. The Provider Has a Registration for Two Children Under Two. Please Correct as Soon as Possible.**

13A.15.05.06C(1)

#### Mar 6, 2025 4 Findings ● 4 Important

- **During the Mandatory Inspection the Provider Disclosed That Her Second Cousin Was Staying in the Shed Which Is in the Provider's Backyard. The Provider Stated That Her Second Cousin Arrived at Her Home a Week or Two Ago. The Provider Stated That He Was Supposed to Stay for One Day or a Weekend to Me**

13A.15.03.05C(1)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Discussed with the Provider This Date to Make Sure That All Areas and or Rooms Are Free From Clutter.**  
13A.15.05.03A
- **LS Observed Evidence of Cracks and Soiled Diapering Mat Which Is Located on Top of a Wooden Diapering Station. LS Observed the Diapering Station with Chipping and Peeling Paint.**  
13A.15.05.03E(3)
- **LS Observed Evidence of Large Concrete Blocks, Bricks, Roof Shingles All Over the Yard, Children's Toys All Over the Yard, Buckets, Boxes, Doors, Lumber and Large Branches Accessible to the Outdoor Activity Area During the Mandatory Inspection.**  
13A.15.05.05A

**Mar 14, 2024** 2 Findings ● 2 Important

- **LS Observed No Evidence of Health Inventory Part 1 and 2 for Two Children in Care. LS Observed No Updated Immunizations for One Child in Care.**  
13A.15.03.02A
- **LS Observed No Evidence of Lead Screening for Two Children in Care.**  
13A.15.03.02B

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.