

## Marjorie Lauer

Norhurst Way North  
Baltimore, MD

### 2 Inspection Visits Since 2023 - 9 Findings

Most recent inspection: Jul 1, 2025

● 9 Important

Across 2 inspections since 2023, the issues cited most often were LS Observed That the Grass Was Overgrown and the Outdoor Play Set Was Rusted. (2), LS Observed That the Provider Had Not Completed the 2024 Annual Basic Health and Safety Update. (1), and LS Observed That the Provider Did Not Have a Log of Fire and Emergency Disaster Drills. (1). None of the 9 findings were critical.

### Inspection Visits

**Jul 1, 2025** 6 Findings ● 6 Important

- **LS Observed That the Provider Had Not Completed the 2024 Annual Basic Health and Safety Update.**  
13A.15.02.03B(1)
- **LS Observed That the Provider Did Not Have a Log of Fire and Emergency Disaster Drills.**  
13A.15.03.03F
- **LS Observed That the Provider Had Not Completed the 2024 Annual Basic Health and Safety Update.**  
13A.15.03.03G
- **LS Observed That the Grass Was Overgrown and the Outdoor Play Set Was Rusted.**  
13A.15.05.05A
- **LS Observed That the Provider Had Not Completed the 2024 Annual Basic Health and Safety Update.**  
13A.15.06.02B(1)
- **LS Observed That the Providers Emergency Numbers Were Not Posted and There Was No Log of Fire and Emergency Disaster Drills.**  
13A.15.07.07A

**Jul 10, 2023** 3 Findings ● 3 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed That the Provider's Approved Outdoor Play Area Was Overgrown with Grass and the Grass Has Grown Through and Around the Play Materials and Equipment. The Provider Stated That They Would Trim and Clean Up the Play Area Materials and Equipment.**

13A.15.05.05A

- **LS Observed That the Provider Is Approved for 6 Children Over 2y/o and Only Has 3 Mats. The Provider Stated That They Would Get an Additional 3 Mats.**

13A.15.05.06C(2)

- **LS Observed That the Provider Was Missing Gauze Rolls and Unscented Soap From Their First Aid Kit. The Provider Stated That They Would Add Those Items to the First Aid Kit and Replace Everything Else Because They Were Dated.**

13A.15.10.01H(1)

#### **About this report**

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.