

Lisa Beckner

Rousby Hall Road
Lusby, MD

3 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jan 29, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were During a Review of Children's Records, It Was Found That Two Siblings Need Blood Lead Tests. One Needs His 12 Month Old Blood Lead Test and the Other Needs Her 24 Month Old Blood Lead Test. The Provider May Correct This Portion of This Non-compliance by Notifying the Parent in Writing of the Need (2), The Provider Only Completed One Emergency Disaster Drill During the 2025 Calendar Year. An Emergency Disaster Drill Is Required to Be Conducted and Recorded at Least Twice per Calendar Year. Please Write a Letter of Correction Stating How You Will Become in Compliance with This Regulation in the F (1), and Provider Has Not Completed the Yearly Health and Safety Training. It Is Entitled 2024 Basic Health and Safety Through MSDE. This Training Was to Be Completed No Later Than 12/31/2024. Please Complete the Training Through the MSDE Website and Forward a Copy of the Training Certificate to OCC for Th (1). None of the 5 findings were critical.

Inspection Visits

Jan 29, 2026 2 Findings ● 2 Important

- **During a Review of Children's Records, It Was Found That Two Siblings Need Blood Lead Tests. One Needs His 12 Month Old Blood Lead Test and the Other Needs Her 24 Month Old Blood Lead Test. The Provider May Correct This Portion of This Non-compliance by Notifying the Parent in Writing of the Need**
13A.15.03.04C
- **The Provider Only Completed One Emergency Disaster Drill During the 2025 Calendar Year. An Emergency Disaster Drill Is Required to Be Conducted and Recorded at Least Twice per Calendar Year. Please Write a Letter of Correction Stating How You Will Become in Compliance with This Regulation in the F**
13A.15.10.01A(3)

Jan 24, 2025 1 Finding ● 1 Important

- **Provider Has Not Completed the Yearly Health and Safety Training. It Is Entitled 2024 Basic Health and Safety Through MSDE. This Training Was to Be Completed No Later Than 12/31/2024. Please Complete the Training Through the MSDE Website and Forward a Copy of the Training Certificate to OCC for Th**
13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jan 23, 2024 2 Findings ● 2 Important

- **During a Review of Emergency Forms, It Was Found That Three Children's Emergency Forms Have Not Been Updated Within the Last Year. Please Notify the Respective Parents and Have Them Review, Initial and Date Their Child's Emergency Form to Indicate the Update. Please Send a Copy of the Updated Form**

13A.15.03.04A(3)

- **During a Review of Children's Records, It Was Revealed That Two Children Have No Evidence of Ever Having a Blood Lead Test Performed. One Is One Year and 2 Months Old and the Other Child Is Two Years Old. It Was Also Discovered That Two Children Do Not Have Any Evidence of Having the Appropriate A**

13A.15.03.04C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.