

Patricia Boling

Winterberry Court
La Plata, MD

3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Apr 30, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were There Was One Child Missing an Emergency Form. For Correction Please Submit a Copy to the Licensing Specialist. (2), During the Full Inspection There Were 6 Children Missing Lead Blood Tests and One Child Missing Health Inventory Part 2. For Correction Please Submit a Copy of the Missing Documentation. (2), and The Provider Did Not Complete the 2024 Update to the Basic Health and Safety Training. The Provider Completed the 2024 Update to the Basic Health and Safety Training on the Same Day of the Inspection and Forwarded a Copy of Her Certificate to the OCC. (2). None of the 14 findings were critical.

Inspection Visits

Apr 30, 2026 2 Findings ● 2 Important

- **There Was One Child Missing an Emergency Form. For Correction Please Submit a Copy to the Licensing Specialist.**

13A.15.03.04A(1)

- **During the Full Inspection There Were 6 Children Missing Lead Blood Tests and One Child Missing Health Inventory Part 2. For Correction Please Submit a Copy of the Missing Documentation.**

13A.15.03.04C

Jun 13, 2025 4 Findings ● 4 Important

- **The Licensing Specialist Observed a Water Play Toy with a Pump and Large, Pool-like Basin Designed to Collect Water. The Large, Pool-like Basin Was Empty at the Time of the Inspection. The Licensing Specialist Asked the Substitute to Make the Water Play Toy Inaccessible to the Children as It Is a Dr**

13A.15.05.05A

- **The Provider Did Not Complete the 2024 Update to the Basic Health and Safety Training. The Provider Completed the 2024 Update to the Basic Health and Safety Training on the Same Day of the Inspection and Forwarded a Copy of Her Certificate to the OCC.**

13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Licensing Specialist Noted That There Was a Mini Trampoline in the Outdoor Activity Area. The Mini Trampoline Was Removed From the Outdoor Activity Area and Made Inaccessible to the Children During the Inspection.**

13A.15.10.03D(2)

- **The Substitute Did Not Serve the Children Milk During Lunch Time. Please Forward a Written Statement to the OCC Explaining That the Provider and the Provider's Substitutes Will Serve Milk with All Meals Going Forward.**

13A.15.12.01B

Jun 18, 2024 8 Findings ● 8 Important

- **1 Child Who Is a "Drop In" Did Not Have an Emergency Form. Please Forward a Photo of the Completed Emergency Form to the OCC Once Obtained.**

13A.15.03.02A

- **The Provider Does Not Have a Written Agreement with 2 Children's Parents. Please Forward the Signature Page of the Parent Agreement to the OCC for Both Children.**

13A.15.03.03A

- **3 Children Were Not Advised How to Obtain or View the Guide to Regulated Child Care. Please Notify the OCC Once the Parents of These Children Have Been Advised How to Obtain or View the Guide to Regulated Child Care.**

13A.15.03.03E

- **4 Children's Emergency Forms Need to Be Updated with Their Parents' Initials and the Date. Please Forward Photos of the Updated Emergency Forms to the OCC.**

13A.15.03.04A(3)

- **1 Child Does Not Have Any Documentation Other Than an Immunization Record. 2 Children Do Not Have Part II of the Health Inventory. 1 Child Does Not Have Evidence of Having Had a Blood Lead Test at 1 Year of Age. 6 Children Do Not Have Evidence of Having Had a Blood Lead Test at 2 Years of Age. 6 Chi**

13A.15.03.04C

- **The Licensing Specialist Observed That an Outlet Was Not Plugged or Capped in the Bathroom. The Outlet Was Plugged During the Inspection.**

13A.15.05.04B(1)

- **The Provider Stated That She Was Not Aware of the Update to the Basic Health and Safety Which Was Due March 31, 2024. Please Complete the Training as Soon as Possible and Forward a Photo of Your Certificate to the OCC.**

13A.15.06.02B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Provider Did Not Have Her Schedule of Daily Activities Posted; However, the Parents Had the Opportunity to View the Schedule of Daily Activities as It Is Included in the Provider's Handbook. The Schedule of Daily Activities Was Posted During the Inspection.**

13A.15.09.01A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.