

Sarah Thompson

Bradley Circle
Hurlock, MD

1 Inspection Visit Since 2026 · 4 Findings

Most recent inspection: Mar 10, 2026

● 4 Important

Across 1 inspection since 2026, the issues cited most often were Provider Stated to LS That She Does Not Have Any of Her Renewal Paperwork Completed at the Time of This Inspection (1), Provider Informed LS That She Was Recording When She Used a Substitute but Stopped Once She Took Her Parent Board Down. (1), and Provider Has Not Done Fire and Emergency Drills on a Regular Basis. Provider Informed LS That She Knows She Needs to Practice Them on a Monthly Basis. (1). None of the 4 findings were critical.

Inspection Visits

Mar 10, 2026 4 Findings ● 4 Important

- **Provider Stated to LS That She Does Not Have Any of Her Renewal Paperwork Completed at the Time of This Inspection**

13A.15.02.03B(2)

- **Provider Informed LS That She Was Recording When She Used a Substitute but Stopped Once She Took Her Parent Board Down.**

13A.15.03.03C

- **Provider Has Not Done Fire and Emergency Drills on a Regular Basis. Provider Informed LS That She Knows She Needs to Practice Them on a Monthly Basis.**

13A.15.03.03F

- **Provider Informed LS That She Has Not Completed the Required Training Requirements**

13A.15.06.02B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.