

Little People's Place

Johahn Drive
Westminster, MD

3 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: May 27, 2026

● 14 Important

Across 3 inspections since 2025, the issues cited most often were There Were Two Classrooms That Had Hand Sanitizer That Was Accessible to Children. There Were Two Classrooms That Had Disinfectant Wipes Accessible to Children. There Was a Container of Disinfectant Wipes in a Bathroom That Was Accessible to Children. There Was a Can of Air Freshener in a Bathroom. (2), There Were Five Emergency Forms That Did Not Have the Information of the Physician's Name, Address and Telephone Number. There Were Two Emergency Forms That Was Missing the Physician's Address. (1), and There Was a Staffing Pattern That Was Not Reflective of the Staff That Were in the Classroom. (1). None of the 14 findings were critical.

Inspection Visits

May 27, 2026 8 Findings ● 8 Important

- **There Were Five Emergency Forms That Did Not Have the Information of the Physician's Name, Address and Telephone Number. There Were Two Emergency Forms That Was Missing the Physician's Address.**
13A.16.03.04C
- **There Was a Staffing Pattern That Was Not Reflective of the Staff That Were in the Classroom.**
13A.16.03.05B
- **There Were Two Classrooms That Did Not Have Mats. The Director Ordered Them During the Inspection.**
13A.16.09.04A(1)
- **There Were Three Classrooms That Did Not Have the Emergency Escape Route Posted.**
13A.16.10.01A(4)
- **There Were Two Classrooms That Had Hand Sanitizer That Was Accessible to Children. There Were Two Classrooms That Had Disinfectant Wipes Accessible to Children. There Was a Container of Disinfectant Wipes in a Bathroom That Was Accessible to Children. There Was a Can of Air Freshener in a Bathroom.**
13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **There Were Four Electrical Outlets That Were Not Capped. The Outlets Were Capped During the Inspection.**
13A.16.10.04F
- **There Was a Medication Administration Form That Was Not Signed or Dated by the Parent. The Medication Was Administered to the Child.**
13A.16.11.04A(1)(a)
- **The Child's Record Did Not Contain a Space for the Child's Home Address.**
13A.16.16.08B

May 13, 2026 2 Findings ● 2 Important

- **A Three Year Old Child Walked Out of His Classroom and Out of the Building Unsupervised.**
13A.16.07.06A
- **A Three Year Old Child Walked Out of His Classroom and Out of the Building Unsupervised.**
13A.16.08.01A(2)(b)

Jun 2, 2025 4 Findings ● 4 Important

- **LS Observed Two Aides in JC's 4 with 20 Children. Director Indicated During the Walk Through That One of the Aides Was Substituting. The LS Did Not Observe the Staff Listed on the Sub Log. Director Added the Individuals to the Sub Log During the Inspection.**
13A.16.03.05E
- **LS Observed 3 Staff Members That Are No Longer Employed, but Were Not Reported to the OCC. The Director Provided a 1203 Removing the Staff at the Time of Inspection.**
13A.16.03.06A(2)
- **LS Observed Broken Gate Dividers for the Younger Children. The Center Has Replacement Gates, but They Have Not Yet Been Installed. LS Observed a Broken Shed That Was Blown Down During a Recent Storm Laying on the Playground. LS Observed Areas Under the Rubber Mulch That the Fabric Was Showing Throug**
13A.16.05.12D
- **LS Observed Hand Sanitizer And/or Clorox Wipes Within Reach of Children in Multiple Classrooms, Bathrooms, and an Area Used for Speech Therapy. LS Observed a Bag of Grocery Bags Within Reach in the JC's Basement Bathrooms. The Director Made All Items Inaccessible at the Time of the Inspection.**
13A.16.10.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.