

Gan Rina

Cross Country Boulevard
Baltimore, MD

1 Inspection Visit Since 2024 - 4 Findings

Most recent inspection: Jun 17, 2025

● 4 Important

Across 1 inspection since 2024, the issues cited most often were LS Did Not Observe Staffing Pattern Posted in Conspicuous Location in Room 1. (1), LS Observed Damaged Wood at Top of Basement Stairs. (1), and LS Observed Substitute as Only Staff Member, Which Was Not Qualified as a Director or Teacher. (1). None of the 4 findings were critical.

Inspection Visits

May 2, 2024 4 Findings ● 4 Important

● **LS Did Not Observe Staffing Pattern Posted in Conspicuous Location in Room 1.**
13A.16.03.05B

● **LS Observed Damaged Wood at Top of Basement Stairs.**
13A.16.05.01A(1)

● **LS Observed Substitute as Only Staff Member, Which Was Not Qualified as a Director or Teacher.**
13A.16.06.13E

● **LS Did Not Observe Appropriate Activities and Materials for Infants and Toddlers in Room 2.**
13A.16.09.03A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.