

## Kids Habitat 4

Castle Blvd Apt T1 and T2  
Silver Spring, MD

### 2 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Jan 15, 2026

● 13 Important

Across 2 inspections since 2024, the issues cited most often were The Licenses Specialist Observed Chipping Paint Through Out the Entire Center and a Hole in the Wall Located in the Children's Restroom. (2), LS Did Not Observe Attendance Records Maintained by Staff and Signed by Parents. (1), and LS Did Not Observe the Emergency Preparedness Plan. (1). None of the 13 findings were critical.

### Inspection Visits

**Jan 28, 2025** 6 Findings ● 6 Important

● **LS Did Not Observe Attendance Records Maintained by Staff and Signed by Parents.**

13A.16.03.03A(2)

● **LS Did Not Observe the Emergency Preparedness Plan.**

13A.16.03.03B(4)

● **LS Observed Several Students Files Missing Lead Screening.**

13A.16.03.04E

● **LS Observed 1 Aide Needing 6 Hours of Continued Training.**

13A.16.06.12B(1)

● **LS Observed 10 Items Required by the OCC Missing From the First Aid Kit.**

13A.16.10.02E

● **LS Observed That Child Medication Was Stored in Students Back Pack, with Out Consent Form and Action Plan. Medication Administration Form Along with Action Plan Was in Child Folder.**

13A.16.11.04E(2)

**Feb 20, 2024** 7 Findings ● 7 Important

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The Facility Must Submit a Change of Facility Form in Order to Continue to Use Room 2 (Auxiliary Room) as a Classroom.**  
13A.16.03.07A
- **The Licenses Specialist Observed Chipping Paint Through Out the Entire Center and a Hole in the Wall Located in the Children's Restroom.**  
13A.16.05.01A(1)
- **The License Specialist Observed Roaches in the Dishwasher.**  
13A.16.05.01A(3)
- **The License Specialist Observed the Children Bathrooms Not in a Sanitary Manner.**  
13A.16.05.08B
- **The License Specialist Was Not Able to Observe Paper Towels or Liquid Hand Soap in the Adult Bathroom.**  
13A.16.05.08F
- **The License Specialist Did Not Observe a Telephone in the Infant and Toddler Classroom.**  
13A.16.05.10C
- **The Licensing Specialist Observed That the Childcare Refrigerator Was Not Cleaned, Roaches Were Observed in the Dishwasher, Trash Cans Needed Emptying, and Floors Needed to Be Mopped.**  
13A.16.05.11A

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.