

April Poole

Ducketts Lane
Elkridge, MD

5 Inspection Visits Since 2024 · 10 Findings

Most recent inspection: Feb 18, 2026

● 10 Important

Across 5 inspections since 2024, the issues cited most often were LS Observed 3 Children Under the Age of 2 Present During This Inspection. A Child Under the Age of 2 Left the Program During This Inspection. (1), LS Observed 3 Children Under the Age of 2 Present During This Inspection. A Child Under the Age of 2 Left the Program During This Inspection. (1), and LS Was Informed of a New Infant Resident During This Inspection. (1). None of the 10 findings were critical.

Inspection Visits

Feb 5, 2026 2 Findings ● 2 Important

- **LS Observed 3 Children Under the Age of 2 Present During This Inspection. A Child Under the Age of 2 Left the Program During This Inspection.**

13A.15.04.03B

- **LS Observed 3 Children Under the Age of 2 Present During This Inspection. A Child Under the Age of 2 Left the Program During This Inspection.**

13A.15.08.01B(5)

Dec 3, 2025 1 Finding ● 1 Important

- **LS Was Informed of a New Infant Resident During This Inspection.**

13A.15.03.05C(1)

Dec 9, 2024 2 Findings ● 2 Important

- **One Child Is Missing Part II of the Health Inventory. One Child Needs an Updated Immunization Record. Correct and Submit Correction to OCC.**

13A.15.03.04C

- **First Aid Kit Is Missing a Working Flashlight, a Roll of Gauze, and Fragrance Free Liquid Soap.**

13A.15.10.01H(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Oct 7, 2024 4 Findings ● 4 Important

- **Provider Did Not Have a Current Substitute Log Available for Review That Documented That the Substitute Was Used. LS Reviewed the Substitute Log Regulation During This Inspection.**

13A.15.03.03C

- **Provider Used a Substitute That Is Not Currently Approved by OCC. This Person Had Previously Been Approved to Be a Substitute for the Provider. LS Discussed Regulations Regarding Substitutes During This Inspection.**

13A.15.06.03B(1)

- **Provider Used a Substitute That Is Not Currently Approved by OCC. This Person Had Previously Been Approved to Be a Substitute for the Provider. LS Discussed Regulations Regarding Substitutes During This Inspection.**

13A.15.07.07A

- **Provider Used a Substitute That Is Not Currently Approved by OCC. This Person Had Previously Been Approved to Be a Substitute for the Provider. LS Discussed Regulations Regarding Substitutes During This Inspection.**

13A.15.08.01A

Jan 4, 2024 1 Finding ● 1 Important

- **One Child's Emergency Form Has Not Been Annually Updated. Correct and Submit Correction to OCC.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.