

Drool of Rock-Cockeysville

Ridgland Road
Cockeysville, MD

4 Inspection Visits Since 2025 · 13 Findings

Most recent inspection: May 13, 2026

13 Important

Across 4 inspections since 2025, the issues cited most often were LS Supervisor Observed That There Were 28 3's and 4's on the Playground. The Director Stated That There Were Only 26. The Program Will Have a Clipboard to Keep an Accurate Count of the Arriving Children. (3), LS Supervisor Observed That There Were 28 3's and 4's on the Playground. The Director Stated That There Were Only 26. The Program Didn't Know How Many Children They Needed to Adequately Supervise. The Program Will Have a Clipboard to Keep an Accurate Count of the Arriving Children. (2), and The Program Has Staffing Patterns Posted. The LS Observed That They Need to Update Them. The Program Will Email the LS and Updated Copy. (1). None of the 13 findings were critical.

Inspection Visits

May 13, 2026 6 Findings 6 Important

- **The Program Has Staffing Patterns Posted. The LS Observed That They Need to Update Them. The Program Will Email the LS and Updated Copy.**
13A.16.03.05B
- **LS Supervisor Observed an Area of Items Such as a Speaker That Needs to Have a Barrier Around It; It Can Pose a Safety Hazard. If a Child Runs Into It They Can Get Hurt.**
13A.16.05.12D
- **LS Supervisor Observed That There Were 28 3's and 4's on the Playground. The Director Stated That There Were Only 26. The Program Will Have a Clipboard to Keep an Accurate Count of the Arriving Children.**
13A.16.07.06A
- **LS Supervisor Observed That There Were 28 3's and 4's on the Playground. The Director Stated That There Were Only 26. The Program Didn't Know How Many Children They Needed to Adequately Supervise. The Program Will Have a Clipboard to Keep an Accurate Count of the Arriving Children.**
13A.16.08.01A(2)(b)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **The LS Supervisor Observed That a Thermometer Needs to Be Placed in the Freezer. The Freezer Needs to Be Cleaned.**

13A.16.12.04F(4)

- **LS Supervisor Observed a Baggie of Goldfish That Needed to Be Discarded. It Was Eaten by the Child the Previous Day.**

13A.16.12.04J

Apr 30, 2026 4 Findings ● 4 Important

- **The LS Observed That There Is Damage to a Wall in the Four Year Old Room. The Director Will Get This Fixed as Soon as Possible. The LS Observed That There Is a Hole in the Wall in the Wild Flowers Class and There Are Two Holes in the Wall in ALL the Young Dudes Where There Use to Be a Mirror. The LS**

13A.16.05.01A(1)

- **A Child Was Able to Slam a Door Into the Wall Creating Damage. This Demonstrates a Lack of Supervision. The Program Will Have a Meeting with the Teacher, to Discuss Supervision and Ways to Keep a Special Eye on the Student.**

13A.16.07.06A

- **A Child Was Able to Slam a Door Into the Wall Creating Damage. This Demonstrates a Lack of Supervision. The Program Will Have a Meeting with the Teacher, to Discuss Supervision and Ways to Keep a Special Eye on the Student.**

13A.16.08.01A(2)(a)

- **A Child Was Able to Slam a Door Into the Wall Creating Damage. This Demonstrates a Lack of Supervision. The Program Will Have a Meeting with the Teacher, to Discuss Supervision and Ways to Keep a Special Eye on the Student.**

13A.16.08.02B

Feb 9, 2026 1 Finding ● 1 Important

- **The LS Observed That in the Infant Room the Floor Temp Was Registering at 61 Degrees in the Part with the Heater and the Infant Room 1B Had a Floor Temp of 60.8 Degrees. The Teacher Put on the Heater and Set It to 75 Degrees.**

In Room 3 the Floor Temp Was 58 Degrees the Heat Was Set to 69 Degrees I

13A.16.05.06

Dec 4, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Drool Provided the LS of Two Incidents Where Children Were Scratched. One Incident Was an Accident and One Incident Was Unprovoked It Was Done by a Child That Exhibits Challenging Behavior. Drool Had a Person on the Premises That Hadn't Received Clearance to Work at the Cockeysville Location; The**

13A.16.07.06A

- **Drool Had a Person on the Premises That Hadn't Received Clearance to Work at the Cockeysville Location; The Staff Member Was Cleared for the Owings Mills Location. The LS Was Able to Get Clearance From OCC Correcting This Non-compliance on Site.**

13A.16.07.06C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.