

Holy Ground Christian Center

Muncaster Rd
Derwood, MD

3 Inspection Visits Since 2025 - 14 Findings

Most recent inspection: Mar 12, 2026

● 14 Important

Across 3 inspections since 2025, the issues cited most often were Licensing Specialist Reviewed All Children's Files and Found Eight Files That Were Missing All or Part of the Health Inventories. Facility Is Asked to Submit Photographic Evidence via Email. (2), Licensing Specialist Requested Copies of All the Children's Emergency Forms. Licensing Specialist Received 27 Emergency Forms and 15 of Those Were Missing the Authorized Pick Up Person And/or the Physician Information. (2), and Licensing Specialist Observed a Toddler Room with Two Aides. (1). None of the 14 findings were critical.

Inspection Visits

Mar 12, 2026 4 Findings ● 4 Important

● **Licensing Specialist Reviewed All Children's Files and Found Eight Files That Were Missing All or Part of the Health Inventories. Facility Is Asked to Submit Photographic Evidence via Email.**

13A.16.03.04D(3)

● **Licensing Specialist Observed a Toddler Room with Two Aides.**

13A.16.08.01A(2)(a)

● **Licensing Specialist Was Able to Confirm All Staff Have Been Reported to the OCC, However Room 4 Did Not Have a Qualified Staff Member.**

13A.16.08.02A

● **Licensing Specialist Observed Room 4 (Toddlers) with Two Aides in Charge.**

13A.16.08.02B

Sep 16, 2025 6 Findings ● 6 Important

● **Licensing Specialist Reviewed All (26) of the Children's Files and Found That Six Were Missing the Health Inventory Completely, Two Only Had Immunization Information and 2 Only Had Part One Completed.**

13A.16.03.04A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Requested Copies of All the Children's Emergency Forms. Licensing Specialist Received 27 Emergency Forms and 15 of Those Were Missing the Authorized Pick Up Person And/or the Physician Information.**
13A.16.03.04C
- **Licensing Specialist Observed Two Changing Tables (Both in the Infant Rooms 2&4) That Did Not Have a Roll of Disposable Changing Paper.**
13A.16.11.03C
- **Licensing Specialist Observed a Cup of Milk in a Sippy Cup That Was Not Labeled Out on a Shelf in the Infant Room 4.**
13A.16.12.04F(3)
- **The Refrigerator in Room 2 Contains a Broken Thermometer and the Entire Back Is Frozen.**
13A.16.12.05A
- **Licensing Specialist Observed a Sippy Cup Full of Milk Sitting on a Shelf in Infant Room 4. Cup Felt Warm to the Touch and the Children Were in the Auxiliary Space Doing Group Time.**
13A.16.12.06E(1)

Sep 11, 2025 4 Findings ● 4 Important

- **Licensing Specialist Was Unable to Review Proof of Any Emergency or Disaster Drills for 2024 or 2025.**
13A.16.03.03B(4)
- **Licensing Specialist Reviewed Several Children's Files That Were Missing Information on the Emergency Form and All of Them Were Missing the Second Page.**
13A.16.03.04C
- **Licensing Specialist Reviewed Two Children's Files That Were Missing Health Inventories.**
13A.16.03.04D(3)
- **Licensing Specialist Reminded Facility to Submit a New Personnel List Each Time They Hire or Delete a Staff Member.**
13A.16.03.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.