

Pasadena Early Learning Center

Ritchie Highway
Pasadena, MD

1 Inspection Visit Since 2024 · 9 Findings

Most recent inspection: Jan 16, 2026

● 9 Important

Across 1 inspection since 2024, the issues cited most often were LS Reviewed a Sample of Children's Files. Of That Sample, LS Observed More Than One Incomplete Emergency Form for the Enrolled Children. (1), LS Observed a Sample of Children's Records and Noticed More Than One Lead Test Result Was Missing From the Sample of Files. (1), and LS Observed Staff Records and Noticed Multiple Staff Need a Correction to Their Medical Evaluation Forms or Need an Updated Medical Form. (1). None of the 9 findings were critical.

Inspection Visits

Dec 17, 2024 9 Findings ● 9 Important

- **LS Reviewed a Sample of Children's Files. Of That Sample, LS Observed More Than One Incomplete Emergency Form for the Enrolled Children.**

13A.17.03.04C

- **LS Observed a Sample of Children's Records and Noticed More Than One Lead Test Result Was Missing From the Sample of Files.**

13A.17.03.04E

- **LS Observed Staff Records and Noticed Multiple Staff Need a Correction to Their Medical Evaluation Forms or Need an Updated Medical Form.**

13A.17.03.05B

- **LS Observed Brown Build Up on Multiple Ceiling Tiles Near the Entry Way of the Multipurpose Room. LS Also Observed Insects in the Light Fixtures in the Main Hallway.**

13A.17.05.11A

- **LS Observed Play Equipment in the Play Yard and Noticed Multiple Pieces of Equipment Had Noticeable Rust and Chipping Paint.**

13A.17.05.12E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed That No Napping Equipment Was Available for the Extended Day Children That Are Present in the Facility Past 4 Hours.**

13A.17.09.02A(1)

- **LS Observed First Aid Kit. The Kit Is Missing Liquid Fragrance Free Soap and Batteries for the Flashlight.**

13A.17.10.02E

- **LS Observed in Multiple Rooms That Staff Belongings Were Stored Within Reach of Children. LS Also Observed a Bottle of Cleaning Agent Within Reach of Children.**

13A.17.10.04A

- **LS Observed Multiple Lunch Boxes Were Stored Without Refrigeration. Please Ensure That All Perishable Foods Are Stored in a Refrigerator That Is at or Below 40 Degrees F.**

13A.17.12.04F(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.