

The Manor Montessori School

Oaklyn Dr
Potomac, MD

2 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Apr 15, 2026

● 8 Important

Across 2 inspections since 2024, the issues cited most often were Licensing Specialist Observed Two Children's Emergency Forms That Were Either Missing the Authorized Pick Up Person or Second Page. Facility Is Asked to Submit Photographic Evidence of Correction. (2), Licensing Specialist Observed One Child's File That Was Missing Part I of the Health Inventory. Facility Is Asked to Get That Completed by the Parent and Submit Proof via Email. (1), and Licensing Specialist Observed One Child's File That Was Missing a Lead Test. Facility Is Asked to Obtain That Information and Submit Photographic Evidence via Email. (1). None of the 8 findings were critical.

Inspection Visits

Apr 15, 2026 6 Findings ● 6 Important

- **Licensing Specialist Observed Two Children's Emergency Forms That Were Either Missing the Authorized Pick Up Person or Second Page. Facility Is Asked to Submit Photographic Evidence of Correction.**
13A.16.03.04C
- **Licensing Specialist Observed One Child's File That Was Missing Part I of the Health Inventory. Facility Is Asked to Get That Completed by the Parent and Submit Proof via Email.**
13A.16.03.04D(1-2)
- **Licensing Specialist Observed One Child's File That Was Missing a Lead Test. Facility Is Asked to Obtain That Information and Submit Photographic Evidence via Email.**
13A.16.03.04E
- **Licensing Specialist Observed Benadryl in Room 1 That Was Expired Jan 2026. Facility Is Asked to Return the Expired Medication to the Family and Send Photographic Evidence of Obtaining New Medication.**
13A.16.11.04E(1)(c)
- **Licensing Specialist Observed a Bottle of Milk in a Child's Cubby That Was Unlabeled. Facility's Is Reminded That Bottles Are Not Montessori Appropriate for Two Year Olds, That Milk Must Be Refrigerated and if a Parent Is Bringing Milk From Home It Needs to Be Labeled with the Child's Name, Date And**
13A.16.12.04A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Two Refrigerators (Room 1 and the Milk Storage Fridge) That Were Reading Over 40 Degrees. LS Put the Thermometer in the Back of the Fridge and Re-checked Later in the Inspection. The Milk Storage Fridge Was Reading Under 40 at the Re-check, However Room 1 Was Still Read**

13A.16.12.04F(3)

Apr 9, 2024 2 Findings ● 2 Important

- **Licensing Specialist Observed Several Child's Emergency Cards That Were Incomplete-missing Physician Information or Authorized Pick Up Person. Facility Is Asked to Submit Proof of Corrections via Email.**

13A.16.03.04C

- **At the Time of the Inspection Licensing Specialist Observed a 19 Month in a 2 Year Old Classroom. Facility Is Reminded That They Are Only Licensed to Have Children 2 and Up. Licensing Specialist Informed the Facility That the Child Must Be Picked Up and Cannot Return Until They Are Two Years Old.**

13A.16.04.01B

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.