

Karla Brevard

Forest Drive South
Oxon Hill, MD

3 Inspection Visits Since 2024 · 8 Findings

Most recent inspection: Apr 28, 2026

● 8 Important

Across 3 inspections since 2024, the issues cited most often were Licensing Specialist Observed Three Children's Files Missing Part Two of the Required Physician's Health Assessment. (1), Licensing Specialist Observed Six Children Younger Than 6 Years Old Needing Evidence of First Appropriate Lead Testing and Three Children Younger Than 6 Years Old Needing Evidence of Second Appropriate Lead Testing. (1), and Licensing Specialist Observed One Child's File Missing Immunization Records. (1). None of the 8 findings were critical.

Inspection Visits

Apr 28, 2026 3 Findings ● 3 Important

- **Licensing Specialist Observed Three Children's Files Missing Part Two of the Required Physician's Health Assessment.**
13A.18.03.04D(3)
- **Licensing Specialist Observed Six Children Younger Than 6 Years Old Needing Evidence of First Appropriate Lead Testing and Three Children Younger Than 6 Years Old Needing Evidence of Second Appropriate Lead Testing.**
13A.18.03.04E
- **Licensing Specialist Observed One Child's File Missing Immunization Records.**
13A.18.03.04G

Apr 14, 2025 2 Findings ● 2 Important

- **Eight (8) Children Are Required to Have Emergency Forms Annually Updated.**
13A.18.03.04C
- **First Aid/CPR Certification Is Required to Always Be Current.**
13A.18.10.02A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Mar 28, 2024 3 Findings  3 Important

- **LS Did Not Observe Lead Results for Five Children.**

13A.18.03.02D

- **LS Observed That OCC Was Not Notified of the Addition of 2 New Staff and One Terminated Staff Within 5 Working Days. Corrected on Site.**

13A.18.03.06A

- **LS Did Not Observe 2 Gauze Rolls.**

13A.18.10.02E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.