

Belkis Sanabia

Highmeadow Court
Reisterstown, MD

2 Inspection Visits Since 2025 · 14 Findings

Most recent inspection: Feb 3, 2026

● 14 Important

Across 2 inspections since 2025, the issues cited most often were The LS Observed That the Provider Has Safety Gates Put Some Are Not Up. The One From the Kitchen to Room 3 Is Mounted to the Top of the Stairs but the Bottom One Was Behind the Toy Kitchen. The LS Advised the Provider to Get Fitted/gates to Ensure Safety. The Provider's Gate to the Outside Play Area (2), The Provider States That the Injuries Referenced in the Complaint Didn't Occur at Her Home. (2), and The Provider Didn't Send in Releases to OCC. (2). None of the 14 findings were critical.

Inspection Visits

Feb 3, 2026 5 Findings ● 5 Important

- **The LS Observed That J.L's Emergency Form Needs to Have an Authorized Pick-up Person Listed, and Emergency Pick-ups Addresses Posted.**

13A.15.03.04A(3)

- **The LS Observed That the Provider Has Safety Gates Put Some Are Not Up. The One From the Kitchen to Room 3 Is Mounted to the Top of the Stairs but the Bottom One Was Behind the Toy Kitchen. The LS Advised the Provider to Get Fitted/gates to Ensure Safety. The Provider's Gate to the Outside Play Area**

13A.15.05.04B(2)

- **The LS Observed That the Provider's Outside Gate Needs to Be Closed. Due to the Inclement Weather She Was Unable to Go Outside to Close It. The LS Observed That the Provider Has an Outside Sink on the Deck. The LS Was Unable to Go Outside to Inspect Due to the Ice. The Provider Will Send the LS Pict**

13A.15.05.05A

- **The Provider Hasn't Completed the Basic Health and Safety 2025 Training. The LS Will Email the Provider the 2025 Basic Health and Safety Link. The Provider Will Email the LS Her Certificate Upon Completion.**

13A.15.06.02B(1)

- **The LS Observed That the Provider Had a Six Month Old Baby in a Hopping John Hung From the Ceiling. The LS Advised the Provider That This Is Hazardous Because It Could Fall and Injure the Infant.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Sep 11, 2025 9 Findings ● 9 Important

- **The Provider States That the Injuries Referenced in the Complaint Didn't Occur at Her Home.**
13A.15.03.05B(1)
- **The Provider States That the Injuries Referenced Didn't Happen in the Childcare Home.**
13A.15.03.05B(2)
- **The LS Observed That an Unapproved Residents Are Residing in the Home, Provider's Grandchildren. The Provider's Daughter/substitute Also Has Moved in to the Home.**
13A.15.03.05C(1)
- **The Provider Didn't Send in Releases to OCC.**
13A.15.03.05D(1)
- **The LS Didn't Notify OCC of New Residents.**
13A.15.03.05D(2)
- **The New Resident Doesn't Have a Medical Form.**
13A.15.03.05E
- **The Home Has a Pest Issue.**
13A.15.05.01C
- **The LS Observed That the Provider Has a Pest Control Box in Her Kitchen Under Stove.**
13A.15.05.03A
- **The LS Observed That the Provider Needs to Put Up a Bottom Gate in Her Room of Care. The Provider Needs to Close the Gates Consistently.**
13A.15.05.04B(2)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.