

Impressionable Years

Route 3 North
Gambrills, MD

4 Inspection Visits Since 2023 · 12 Findings

Most recent inspection: Jun 12, 2025

● 12 Important

Across 4 inspections since 2023, the issues cited most often were Licensing Specialist Observed Loose Board on Walkway and Loose Turf Grass with Hole at Bottom of Slide. Facility Needs to Attach Board and Repair Area at the Bottom of the Slide and Send Pictures to Licensing Specialist That They Have Been Fixed. (3), Licensing Specialist Observed Four Staff Members Who Were Missing Medical Evaluations in Their File at the Time of Inspection. Facility Needs to Submit Copies of the Staff Member's Medical Evaluations to Licensing Specialist. Licensing Specialist Also Observed Several Staff Members Who Were Missing (2), and Licensing Specialist Observed Several Children Who Were Missing Updated Lead Testing. Facility Needs to Submit a Letter of Corrections That All Children's File Have Been Checked and Any Missing Lead Testing Information/ Forms Have Been Obtained. (1). None of the 12 findings were critical.

Inspection Visits

Jun 12, 2025 4 Findings ● 4 Important

- **Licensing Specialist Observed Several Children Who Were Missing Updated Lead Testing. Facility Needs to Submit a Letter of Corrections That All Children's File Have Been Checked and Any Missing Lead Testing Information/ Forms Have Been Obtained.**

13A.16.03.04E

- **Licensing Specialist Observed Four Staff Members Who Were Missing Medical Evaluations in Their File at the Time of Inspection. Facility Needs to Submit Copies of the Staff Member's Medical Evaluations to Licensing Specialist. Licensing Specialist Also Observed Several Staff Members Who Were Missing**

13A.16.03.05C

- **Licensing Specialist Observed Loose Board on Walkway and Loose Turf Grass with Hole at Bottom of Slide. Facility Needs to Attach Board and Repair Area at the Bottom of the Slide and Send Pictures to Licensing Specialist That They Have Been Fixed.**

13A.16.05.12D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed Several Infant and Toddler Written Activity Plans That Had Not Been Updated in the Last Three Months. Facility Needs to Submit Copies of Updated Plans to Licensing Specialist.**

13A.16.09.02C

Apr 19, 2024 2 Findings ● 2 Important

- **Licensing Specialist Observed Missing Picket on Fence Near Shed, Rotting Wood Under Shed Windows, Loose Decking Plank on Walkway Leading Down to Playground, Peeling Paint Along Lower Bottom of Back Fence Mural (May Want to Add a Border?) , and Loose Fencing Along Back Needs to Be Secured..**

13A.16.05.12D

- **Licensing Specialist Observed Cracked Areas on Structural Post of Large Blue and White Colored Climbing Slide That Needs to Be Repaired or Replaced, as Well as Rusting Bolts That Need to Be Replaced or Re-painted.**

13A.16.05.12E

Jul 25, 2023 1 Finding ● 1 Important

- **Licensing Specialist Confirmed with the Center That the Parent Called Ahead of Time and Brought Copy of the Child's Birth Certificate and Presented Drivers License, as Proof That They Are the Child's Parent.**

13A.16.07.04B

Jul 12, 2023 5 Findings ● 5 Important

- **Licensing Specialist Observed Staff Needs to Complete Training, Including Basic Health and Safety and Covid-19 Training.**

13A.16.03.05C

- **Licensing Specialist Observed Lights Four Lights Not Working and Two Lights Needing Covers in Room 9, Along with Ceiling Tiles That Are Showing Water Damage.**

13A.16.05.01A(1)

- **Licensing Specialist Observed Debris on Carpets Throughout Center. Floors as Well as Carpeted Stairs in Room 7 Need to Be Cleaned.**

13A.16.05.11A

- **Licensing Specialist Observed a Missing Picket on Railing in Playground Area That Needs to Be Replaced. Licensing Specialist Observed Broken Terra Cotta Pot on Porch Area on Playground That Needs to Be Cleaned Up as Well as Trash That Has Accumulated Under the Porch Where Broken Pot Is.**

13A.16.05.12D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialist Observed That Infant Feeding Schedules That Were Posted at the Time of Inspection Were Older Than 3 Months.**

13A.16.12.06A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.