

Jacqueline Gavidia

Infantry Drive
Frederick, MD

3 Inspection Visits Since 2024 - 5 Findings

Most recent inspection: Mar 18, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were At the Time of Inspection, Licensing Specialist Observed a Prescription Medicine Bottle on a Counter Accessible to Children in the Child Care Area. The Provider Moved the Medicine to an Inaccessible Location During the Inspection. (2), Licensing Specialist Observed 1 Child's Emergency Form That Was Missing an Authorized Person to Pick Up the Child Daily. (1), and At the Time of Inspection, Licensing Specialist Observed 2 Children's Records That Were Missing Evidence of an Appropriate Lead Test. (1). None of the 5 findings were critical.

Inspection Visits

Mar 18, 2026 1 Finding ● 1 Important

- **At the Time of Inspection, Licensing Specialist Observed a Prescription Medicine Bottle on a Counter Accessible to Children in the Child Care Area. The Provider Moved the Medicine to an Inaccessible Location During the Inspection.**

13A.15.10.02

Jun 3, 2025 3 Findings ● 3 Important

- **Licensing Specialist Observed 1 Child's Emergency Form That Was Missing an Authorized Person to Pick Up the Child Daily.**

13A.15.03.04A(1)

- **At the Time of Inspection, Licensing Specialist Observed 2 Children's Records That Were Missing Evidence of an Appropriate Lead Test.**

13A.15.03.04C

- **At the Time of Inspection, Licensing Specialist Observed a First Aid Kit That Was Missing Tweezers.**

13A.15.10.01H(1)

Apr 26, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **At the Time of Inspection, Licensing Specialist Observed Cleaning Agents Accessible to Children in a Bathroom Cabinet. The Provider Moved the Items to an Inaccessible Location During the Inspection.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.