

Tammy Shelby

Railway Avenue
Baltimore, MD

2 Inspection Visits Since 2024 - 13 Findings

Most recent inspection: Dec 9, 2025

● 13 Important

Across 2 inspections since 2024, the issues cited most often were At the Time of the Inspection, Provider Is Missing Health Inventory Part 2 for One Child (MT) and Part 1 and 2 for Another Child (JP). Provider Does Not Have Evidence of Immunization for (JP). (2), At the Time of the Inspection, One Child's Emergency Form (NA) Was Missing Physician Information. (2), and Provider Has Not Submitted Medicals for Her Substitute and Updated Release of Information Forms That Were Due 01/31/2024. (1). None of the 13 findings were critical.

Inspection Visits

Jan 28, 2025 10 Findings ● 10 Important

● **Provider Has Not Submitted Medicals for Her Substitute and Updated Release of Information Forms That Were Due 01/31/2024.**

13A.15.02.03B(2)

● **At the Time of the Inspection, Provider Is Missing Health Inventory Part 2 for One Child (MT) and Part 1 and 2 for Another Child (JP). Provider Does Not Have Evidence of Immunization for (JP).**

13A.15.03.02A

● **At the Time of the Inspection, One Child's Emergency Form (NA) Was Missing Physician Information.**

13A.15.03.04A(1)

● **At the Time of the Inspection, One Child's Emergency Form (JP) Has Not Been Updated Since 2023.**

13A.15.03.04A(3)

● **At the Time of the Inspection, Provider Was Using a Bassinet for a 6 Month Old.**

13A.15.05.06C(1)

● **At the Time of the Inspection Provider Did Not Have Copies of Her Training for the Time Period 02/01/2023-01/31/2024 and 02/01/2024 - 01/31/2025**

13A.15.06.02B(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider's Frist Aid and CPR Certification Expired 11/2024.**
13A.15.06.02D(1)
- **At the Time of the Inspection, Provider Had a Wedge in the Bassinet and Did Not Anything From Child's Physician in Writing.**
13A.15.10.06B
- **Provider Put Diaper Rash Cream on a Baby with a Diaper Rash (Red and Blistered) Without a Medication Administration Form.**
13A.15.11.04A(1)(a)
- **Provider Has Not Noted When Diaper Cream Has Been Put on the Baby.**
13A.15.11.04D(2)

Jan 30, 2024 3 Findings ● 3 Important

- **At the Time of the Inspection Provider Was Missing Health Inventory Part 2 for One Child (IT). Provider Stated Child Has a Drs Appointment in 2 Weeks She Give the Form to the Parent to Get Completed.**
13A.15.03.02A
- **At the Time of the Inspection, Provider Does Not Have Documentation That Parents Are Given the Guide to Regulated Child Care.**
13A.15.03.03E
- **At the Time of the Inspection, Hot Water Temperature Measured 141 Degrees. Provider to Adjust the Hot Water Heater.**
13A.15.05.01E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.