

Wanda Trossbach

Point Lookout Road
Scotland, MD

3 Inspection Visits Since 2024 · 14 Findings

Most recent inspection: Feb 5, 2026

● 14 Important

Across 3 inspections since 2024, the issues cited most often were One Child Needs an Emergency Card. (4), Two Children Need Updated Shot Records. (2), and The Hot Tub Cover Needs to Be Locked. There Are Two Screws Sticking Up on the Climber Platform That Need to Be Put Back Down. (2). None of the 14 findings were critical.

Inspection Visits

Feb 5, 2026 7 Findings ● 7 Important

● **Two Children Need Updated Shot Records.**

13A.15.03.02A

● **One Child Needs a One Year Lead Blood Test.**

13A.15.03.02B

● **One Child Needs an Emergency Card.**

13A.15.03.04A(1)

● **One Child Needs Their Emergency Card Updated.**

13A.15.03.04A(3)

● **There Needs to Be a Barrier in Place at the Door to the Office So That Children Don't Access the Room. We Discussed Putting a Gate in the Door Way.**

13A.15.05.04B(2)

● **Provider Has Not Completed the 2025 Basic Health and Safety Training. It Was Due by 12/31/25. She Needs to Complete This Training Immediately and Submit a Copy of the Certificate to Specialist.**

13A.15.06.02B(1)

● **The Emergency Disaster Plan Was Updated During the Inspection.**

13A.15.10.01A(4)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

Jan 27, 2025 3 Findings 3 Important

- **Two Children Need Their Doctor Phone Number on Their Emergency Cards. Another Child Needs All Doctor Information on Her Emergency Card.**

13A.15.03.04A(1)

- **There Are Three Rooms in the Home That Are Off Limits. The Doors to These Rooms Were Open. Provider Needs to Have These Room Secured So That Children Don't Access the Rooms. The Door to One of the Rooms Doesn't Close Completely So Provider Is Going to Have Install a Hook and Eye Latch on the Door An**

13A.15.05.04A(1)

- **The Hot Tub Cover Needs to Be Locked. There Are Two Screws Sticking Up on the Climber Platform That Need to Be Put Back Down.**

13A.15.05.05A

Jan 30, 2024 4 Findings 4 Important

- **One Child Needs the Doctor Part of the Health Inventory Completed and a Lead Blood Test. This Child Needs an Updated Shot Record That Shows 3 Polio Shots and a Hib Shot After a Year of Age. Another Child Needs an Updated Shot Record That Shows She Has Had 2 MMR Shots and 2 Varicella Shots.**

13A.15.03.02A

- **Provider Now Has a Dog and Needs to Add a Pet Policy to Her Contract with All the Families.**

13A.15.03.03A

- **The Emergency Cards for All the Children Except One Need to Be Updated.**

13A.15.03.04A(3)

- **Provider Likes to Use the Back Deck for Some Outdoor Play Space. The Hot Tub Out Back Needs to Have the Latches Locked.**

13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.