

Amanda Flores

Brink Rd
Gaithersburg, MD

3 Inspection Visits Since 2023 - 14 Findings

Most recent inspection: Nov 24, 2025

● 14 Important

Across 3 inspections since 2023, the issues cited most often were Licensing Specialist Observed Emergency Forms That Were Not Updated with a Date. (4), LS Observed a Socket That Was Not Capped or Plugged. (2), and Licensing Specialist Was Not Able to Observe the Registration Displayed Conspicuously. (1). None of the 14 findings were critical.

Inspection Visits

Nov 24, 2025 9 Findings ● 9 Important

- **Licensing Specialist Was Not Able to Observe the Registration Displayed Conspicuously.**
13A.15.02.01D
- **LS Was Not Able to Observe a Written Agreement in the Children's File**
13A.15.03.03A
- **LS Was Not Able to Observe a Sub Log**
13A.15.03.03C
- **LS Was Not Able to Observe a Fire Drill Log.**
13A.15.03.03F
- **Licensing Specialist Observed Emergency Forms That Were Not Updated with a Date.**
13A.15.03.04A(3)
- **LS Observed Children Files That Were Missing the Appropriate Lead Screening.**
13A.15.03.04C
- **LS Observed a Socket That Was Not Capped or Plugged.**
13A.15.05.04B(1)
- **Provider Is Reminded to Wait Until an Approval Email or Letter Is Sent Before Allowing a Substitute to Be Alone.**
13A.15.06.03B(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed Cleaning Product in the Restroom That Was in Each of the Children in Care.**

13A.15.10.02

Dec 10, 2024 2 Findings ● 2 Important

- **Licensing Specialist Observed Emergency Forms That Were Not Updated Annually.**

13A.15.03.04A(3)

- **Licensing Specialist Observed an Electrical Socket That Was Not Plugged, or Capped.**

13A.15.05.04B(1)

Dec 8, 2023 3 Findings ● 3 Important

- **Licensing Specialist Observed Three Child's Emergency Forms That Were Missing Information, and Annual Updates.**

13A.15.03.04A(3)

- **Licensing Specialist Observed 3 Emergency Forms That Were Not Updated, and Missing Annual Update.**

13A.15.03.04A(3)

- **Licensing Specialist Was Not Able to Observe 1% or Nonfat Milk Furnished by the Provider**

13A.15.12.01D

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.