

# Abundance of Love Childcare

York Road  
Parkton, MD

## 2 Inspection Visits Since 2023 · 13 Findings

Most recent inspection: Oct 14, 2025

13 Important

Across 2 inspections since 2023, the issues cited most often were LS Did Not Observe Health Inventory for Several Children. (2), LS Did Not Observe Lead Test for One Child. (2), and LS Observed That Some Staff Did Not Have Updated Release of Information Forms, Fingerprints Results, Privacy Rights Forms, ID, Work Experience Form and Staff Position Verification Document. (2). None of the 13 findings were critical.

## Inspection Visits

Oct 14, 2025 7 Findings 7 Important

LS Did Not Observe Health Inventory for Several Children.

13A.16.03.04D(3)

LS Did Not Observe Lead Test for One Child.

13A.16.03.04E

LS Observed That Some Staff Did Not Have Updated Release of Information Forms, Fingerprints Results, Privacy Rights Forms, ID, Work Experience Form and Staff Position Verification Document.

13A.16.03.05C

LS Observed Some Wood Fencing Is in Need of Repair.

13A.16.05.12D

LS Observed That There Were No Dates on Several of the Staff Medicals.

13A.16.06.04A(4)

LS Did Not Observe FA/CPR Certifications in the Employee Files.

13A.16.10.02B

LS Did Not Observe a Thermometer in the Freezer.

13A.16.12.04F(4)

### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

**Oct 18, 2023** 6 Findings ● 6 Important

- **LS Observed That the Four Week Menu Was Not Displayed for the Month (October).**  
13A.16.03.03B(3)
- **LS Observed That There Was No Documentation of Emergency and Disaster Plan Drill Were Conducted.**  
13A.16.03.03B(4)
- **LS Did Not Observe the Following Children Having a Health Inventory: K. B. (H-1 & H-2), L.L. (H-1 & H-2), E.T. H-1 & H-2), F.R. (H-1 & H-2), N.R. (H-1 & H-2), N.H. (H-1 & H-2), J.W. (H-1 & H-2), E.W. (H-1 & H-2),**  
13A.16.03.04D(3)
- **LS Did Not Observe the Following Children Having Lead Testing Completed: K.B., L.L., E.T., F.R., N.R., N.H., J.T., J.W., E.W.**  
13A.16.03.04E
- **LS Did Not Observe Criminal Background Check Results for the Staff at This Center (Andrea Dalton, Jason Terry, Verne Mann, Shauna Kukoyi & Darryl Kemp), There Was No Dates on the Medicals for the Staff (Andrea Dalton, Jason Terry, Verne Mann, Shauna Kukoyi & Darryl Kemp), There Was No Verification**  
13A.16.03.05C
- **LS Observed That the Hot Water Was Above 120 Degrees in the Children's Bathroom.**  
13A.16.05.01A(2)

#### About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.