

Debra Rupp

Sandymount Road
Finksburg, MD

3 Inspection Visits Since 2023 · 8 Findings

Most recent inspection: Sep 17, 2025

● 8 Important

Across 3 inspections since 2023, the issues cited most often were There Was a Child in Care That Did Not Have Documentation of the Lead Screening in the File. (1), There Was a File That Did Not Contain Documentation of Immunizations. There Was a File That Did Not Have Documentation of a Lead Screening. (1), and The Chain Locks That Goe Through the Fence That Surrounds the Pool Were Unlocked. The Lock Mechanisms Were Locked During the Inspection. (1). None of the 8 findings were critical.

Inspection Visits

Sep 17, 2025 2 Findings ● 2 Important

- **There Was a Child in Care That Did Not Have Documentation of the Lead Screening in the File.**
13A.15.03.02B
- **There Was a File That Did Not Contain Documentation of Immunizations. There Was a File That Did Not Have Documentation of a Lead Screening.**
13A.15.03.04C

Sep 11, 2024 1 Finding ● 1 Important

- **The Chain Locks That Goe Through the Fence That Surrounds the Pool Were Unlocked. The Lock Mechanisms Were Locked During the Inspection.**
13A.15.05.05C

Sep 15, 2023 5 Findings ● 5 Important

- **Provider Did Not Do Training During the Last Licensing Year. Provider Has Since Made Up the Training.**
13A.15.06.02B(3)
- **Provider's First aid/CPR Has Expired. Obtain Current First aid/CPR by 10/1/2023.**
13A.15.06.02D(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Provider Needs to Update Her Emergency Plan. Correct by 9/22/2023.**

13A.15.10.01A(4)

- **Provider Is Missing Fragrance Free Soap From Her First Aid Kit. Obtain by 9/22/23.**

13A.15.10.01H(1)

- **Observed Medication on the Kitchen Cabinet. Moved Out of Reach During Inspection. Medication Must Be Out of Reach at All Times.**

13A.15.10.02

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.