

Ann Ogwu

Rutledge Court
Severn, MD

1 Inspection Visit Since 2026 · 5 Findings

Most recent inspection: Mar 19, 2026

● 5 Important

Across 1 inspection since 2026, the issues cited most often were License Was on the Desk and Not Displayed for Parents to See. (1), Plastic Bottles in Corners, Clothing on the Couch in Child Care Area, Papers All Over Desk and in Corners (1), and Ceiling Tiles Near the Window Need to Be Replaced Due to Water Damage From the Storm (1). None of the 5 findings were critical.

Inspection Visits

Mar 19, 2026 5 Findings ● 5 Important

- **License Was on the Desk and Not Displayed for Parents to See.**
13A.15.02.01D
- **Plastic Bottles in Corners, Clothing on the Couch in Child Care Area, Papers All Over Desk and in Corners**
13A.15.05.03A
- **Ceiling Tiles Near the Window Need to Be Replaced Due to Water Damage From the Storm**
13A.15.05.04A(3)
- **Electric Socket on the Wall Uncapped**
13A.15.05.04B(1)
- **Boards From Fence Have Been Broken or Fallen Down Causing Play Area Unsafe for Children**
13A.15.05.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.