

Virginia Maeser

Marioak Drive
Elkridge, MD

2 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Sep 15, 2025

● 4 Important

Across 2 inspections since 2023, the issues cited most often were One Child Did Not Have Evidence of a Blood Lead Test Available for Review During This Inspection. Correct and Submit Correction. (2), One Emergency Card Was Not Annually Updated. Correct and Submit Correction. (1), and LS Observed Two Expired Medications. Correct and Submit Correction to OCC. (1). None of the 4 findings were critical.

Inspection Visits

Sep 15, 2025 2 Findings ● 2 Important

● One Emergency Card Was Not Annually Updated. Correct and Submit Correction.

13A.15.03.04A(3)

● One Child Did Not Have Evidence of a Blood Lead Test Available for Review During This Inspection. Correct and Submit Correction.

13A.15.03.04C

Sep 14, 2023 2 Findings ● 2 Important

● One Child Did Not Have a Complete Part II of the Health Inventory. Correct and Submit Correction to OCC.

13A.15.03.04C

● LS Observed Two Expired Medications. Correct and Submit Correction to OCC.

13A.15.11.04E(1)(c)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.