

Allyson Dostal

Lighthouse Drive
Perryville, MD

1 Inspection Visit Since 2024 · 4 Findings

Most recent inspection: Jun 26, 2025

● 4 Important

Across 1 inspection since 2024, the issues cited most often were At the Time of the Inspection the LS Did Not Observe Immunization Record for Child 1. (1), At the Time of the Inspection the LS Checked the Children Files and Did Not Observe the Child Care Regulation Link or Pamphlet. (1), and At the Time of the Inspection the LS Checked the Children Files and Did Not Observe the Lead Form for Child # 2. (1). None of the 4 findings were critical.

Inspection Visits

Jun 12, 2024 4 Findings ● 4 Important

- **At the Time of the Inspection the LS Did Not Observe Immunization Record for Child 1.**
13A.15.03.02A
- **At the Time of the Inspection the LS Checked the Children Files and Did Not Observe the Child Care Regulation Link or Pamphlet.**
13A.15.03.03E
- **At the Time of the Inspection the LS Checked the Children Files and Did Not Observe the Lead Form for Child # 2.**
13A.15.03.04C
- **At the Time of the Inspection the LS Conducted a Walkthrough of the Outdoor Play Area and Observed a Broken Station in the Play Area.**
13A.15.09.02A(1)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.