

The Play Station

Hollins Ferry Rd
Baltimore, MD

2 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Jan 23, 2026

● 4 Important

Across 2 inspections since 2024, the issues cited most often were LS Observed Two Children That Needed Documentation of Lead Testing. (1), LS Observed One Child Who Had Medication Form Describing the Need of an EpiPen but There Was No EpiPen at Center. LS Observed a Child's Medical That Indicated That the Child Has an EpiPen but the Medical Documentation and the EpiPen Was Not at the Center. (1), and LS Did Not Observe Emergency and Disaster Plan Being Updated. The Director Reviewed and Updated the Emergency and Disaster Plan on the Spot. (1). None of the 4 findings were critical.

Inspection Visits

Jan 23, 2026 1 Finding ● 1 Important

● **LS Observed Two Children That Needed Documentation of Lead Testing.**

13A.16.03.04E

Jan 26, 2024 3 Findings ● 3 Important

● **LS Observed One Child Who Had Medication Form Describing the Need of an EpiPen but There Was No EpiPen at Center. LS Observed a Child's Medical That Indicated That the Child Has an EpiPen but the Medical Documentation and the EpiPen Was Not at the Center.**

13A.16.03.04I(4)

● **LS Did Not Observe Emergency and Disaster Plan Being Updated. The Director Reviewed and Updated the Emergency and Disaster Plan on the Spot.**

13A.16.10.01A(3)(d)

● **LS Did Not Observe the Emergency Numbers Near the Phone in the Infant & Toddler Room. The Director Place the Emergency Numbers Near the Phone in the Infant & Toddler Room.**

13A.16.10.01C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.