

Washington Hebrew Congregation RJWECC

Falls Road
Potomac, MD

2 Inspection Visits Since 2023 - 5 Findings

Most recent inspection: Sep 26, 2025

● 5 Important

Across 2 inspections since 2023, the issues cited most often were Licensing Specialist Observed an EpiPen That Only Had the MCPS Allergy Form, Not the OCC Approved Medication Authorization Form. Facility Is Asked to Obtain That Form and Submit Photographic Evidence. (2), Licensing Specialist Reviewed All of the Children's Emergency Forms and Observed Several That Were Missing the Second Page, Physician Information, Parent Signature or Annual Update. Facility Is Asked to Get Them Corrected and Submit Photographic Evidence via Email. (1), and Licensing Specialists Observed Rooms Being Used That Were Not Approved or Present as Auxiliary Use Rooms on Current License. (1). None of the 5 findings were critical.

Inspection Visits

Sep 26, 2025 3 Findings ● 3 Important

- **Licensing Specialist Reviewed All of the Children's Emergency Forms and Observed Several That Were Missing the Second Page, Physician Information, Parent Signature or Annual Update. Facility Is Asked to Get Them Corrected and Submit Photographic Evidence via Email.**

13A.16.03.04C

- **Licensing Specialist Observed an EpiPen That Only Had the MCPS Allergy Form, Not the OCC Approved Medication Authorization Form. Facility Is Asked to Obtain That Form and Submit Photographic Evidence.**

13A.16.11.04A(1)(a)

- **Licensing Specialist Observed an EpiPen That Was Stored in a Red Medical Box That Was Not in the Original Packaging, and Without the Medication Forms. Facility Is Asked to Obtain the Original Packaging and Proper Forms and Submit Proof via Email.**

13A.16.11.04A(3)

Sep 28, 2023 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **Licensing Specialists Observed Rooms Being Used That Were Not Approved or Present as Auxiliary Use Rooms on Current License.**

13A.16.03.07A

- **Licensing Specialists Observed a First Aid Kit Missing Paper Towels, Triangular Bandage and Soap That Needed Replenishing.**

13A.16.10.02E

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.