

Mirna Salas

Penrose Street
Frederick, MD

2 Inspection Visits Since 2023 - 2 Findings

Most recent inspection: Oct 8, 2025

● 2 Important

Across 2 inspections since 2023, the issues cited most often were There Is Not a Gate in Place in the Main Child Care Area, at the Bottom of the Stairs That Lead to the Main Level. Provider Will Get a Gate and Send a Photo to LS to Show It's in Place. (1) and There Are Four Emergency Forms That Are Missing Information. These Will Be Sent to LS to Show the Information Has Been Completed Fully. (1). None of the 2 findings were critical.

Inspection Visits

Nov 1, 2024 1 Finding ● 1 Important

● **There Is Not a Gate in Place in the Main Child Care Area, at the Bottom of the Stairs That Lead to the Main Level. Provider Will Get a Gate and Send a Photo to LS to Show It's in Place.**

13A.15.05.04B(2)

Nov 28, 2023 1 Finding ● 1 Important

● **There Are Four Emergency Forms That Are Missing Information. These Will Be Sent to LS to Show the Information Has Been Completed Fully.**

13A.15.03.04A(3)

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.