

Childtime Children's Center

Montgomery Rd
Ellicott City, MD

1 Inspection Visit Since 2024 · 12 Findings

Most recent inspection: Jul 7, 2025



● 12 Important

Across 1 inspection since 2024, the issues cited most often were LS Observed Chipping Paint on 2nd and 3rd Door From the Left While Looking at the Building and on the Big Playground and on the 2nd Door From the Left, While Looking at the Building, the Hallway Door on the Younger Children's Playground. (2), LS Observed 1 Emergency Card Missing the Back Side for 1 Child - Corrected During the Inspection (1), and LS Did Not Observe Part 2 of the Health Inventory for 1 Child - Corrected During the Inspection (1). None of the 12 findings were critical.

Inspection Visits

Jun 10, 2024 12 Findings ● 12 Important

- **LS Observed 1 Emergency Card Missing the Back Side for 1 Child - Corrected During the Inspection**
13A.16.03.04C
- **LS Did Not Observe Part 2 of the Health Inventory for 1 Child - Corrected During the Inspection**
13A.16.03.04D(3)
- **LS Did Not Observe an Immunization Form for 1 Child in Care - Corrected During the Inspection**
13A.16.03.04G
- **LS Observed Chipping Paint on 2nd and 3rd Door From the Left While Looking at the Building and on the Big Playground and on the 2nd Door From the Left, While Looking at the Building, the Hallway Door on the Younger Children's Playground.**
13A.16.05.01A(1)
- **LS Observed Torn Drywall Spots Above the Book Shelf on the Exterior Wall in the 2 Year Old Room - LS Observed the Cove Base in the Preschool Along the Back Wall Farthest From the Door Coming Loose**
13A.16.05.01A(2)
- **LS Did Not Observe a Phone in Toddler Room A - Corrected During the Inspection**
13A.16.05.10C

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.

- **LS Observed a Thorn Bush and Weeds on the Back Right Part of the Playground While Your Back Is to the Building Near the Fence on the Younger Children's Playground. Corrected During the Inspection**
13A.16.05.12D
- **LS Did Not Observe an Updated Medicals for 2 Staff**
13A.16.06.04A(4)
- **LS Did Not Observe the Basic Health and Safety Update for 3 Teachers**
13A.16.06.09C
- **LS Did Not Observe Basic Health and Safety Training for 3 Staff**
13A.16.06.12A(3)
- **LS Did Not Observe the Basic Health and Safety Update for 2 Staff**
13A.16.06.12B(3)
- **LS Observed the Back 3 Burners on the Electric Stove in the Kitchen to Be Rusty and Non-operational.**
13A.16.12.05A

About this report

Childery generates this report from public inspection records published by the Maryland State Department of Education, Office of Child Care. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Maryland State Department of Education, Office of Child Care.